#### A NEW SYSTEM OF PRACTICAL

# STRONOM

MADE PLAIN AND EASY TO THOSE WHO HAVE NOT STUDIED MATHEMATICS. CONTAINING

THE ELEMENTARY PRINCIPLES OF THE SCIENCE; ALL THE

## RULES AND TABLES


NECESSARY FOR MAKING ALL THE

## CALCULATIONS FOR AN ALMANAC:

And for the solution of more than one hundred Astronomical and Chronological Problems; with sketches of Geometry, Trigonometry, Surveying, Levelling, and other branches of Mathematics, depending on the principles of Geometry; also the construction and use of Logarithms: a Table of the Logarithms of Numbers, of Logarithms is Rues, Yangents, and Secants, and of Logarithms; and an Explanation of the manner of constructing the Tables, &c. &c.

## BY THOMAS SPOFFORD.

SECOND EDITION WITH ADDITIONS AND CORRECTIONS.



BOSTON.-By L. GULLIVER, 82 State Street. C. SMALL, 298 Pearl Street.

ALL unacquainted with mathematics, who have wished to pursue the study of Astronomy, have always experienced the want of a concise work, containing the elementary principles of the science, with the rules and tables necessary for solving its most useful and interesting Problems. It was this that induced the author, a long time ago, to undertake the following: but it would not even now be presented to the public, exception of Gurmere's excellent treatise, (to understand which, a thorough knowledge of the most abstruse and Tables necessary for making the calculations of a common Almanac. This tree within a few years, Perguson all contents of mathematics is required), there has no work been produced in America, all the years, ferguson and the properties of the such passes as everal systems, purporting to be such, have made their appearance; but they are only compilations from excellent and others, containing little or nothing new, and all the radical ERRORS in the TABLES of those mathematics, has generally been considered indispensable for any one who would know any thing of Astronomy; but those who have no further knowledge of Maphematics, than the simple rules of Arithmetic; and aid of a teacher. Many of the rules and tables are entirely new; those for the CALCULATION of ECLIPSES save many for the rules and tables are entirely new; those for the CALCULATION of the many and the readily solved by any person of common intellect, without the ECLIPSES save many of the rules and tables are entirely new; those for the CALCULATION of the many and the readily solved by any person of common intellect, without the poses. For the last ven years, the author has used no other rules or tables in making the calculations for British Colonies. But the services and tables, he has calculated all the eclipses that will happen for ONE should he live to that age.

To render the work more useful, enough of Geometry, Trigonometry, and several other branches of mathematics, so when he was the colonies of a man, which is colonied to the c

HUNDRED YEARS; which could hardly be done by the old method, (parallaxes,) in the lifetime of a man, should he live to that age.

To render the work more useful, enough of Geometry, Trigonometry, and several other branches of mathematics, is given, to enable the reader to solve understandingly the most important and useful Problems in those studies. As the principles of Geometry are general and abstract truths, and exist in nature, independently of lines and figures, it is thought that the learner may acquire a far better, and more lasting idea
stration, than by having figures first presented to the eye. For this reason, the Geometrical definitions and
stration, than by having figures first presented to the eye. For this reason, the Geometrical definitions and
learner so to pursue the study of Geometry, as to improve that mental faculty, which enables the mind to
comprehend general propositions, and to pursue trains of thought disconnected with sensible objects. For
solve the Problem, without any visible illustration, he will be much more lined; is able by the rule alone to
than if it was illustrated by an account of the same reason, examples are omitted in several Problems; for if he leatened with sensible objects. For
solve the Problem, without any visible illustration, he will be much more lined; as the by the rule alone to
than if it was illustrated by an account of machine the more lined and astronomy without prethe want of which they have severely demandies, has andoubtedly prevented many from beginning a study,
this science was necessary. That any it science may be made of most servicito mankind, it is requisite
advantages resulting to the community would be immensely great. The discoveries and improvements in the
commensurate with these. Could one object more be obtained, (which at first might seem easy.) the mean
of ascertaining longitude with the same facility that latitude is determined, this single discovery would be a
frequently paid promiums of 10,000 pounds sterling for only improvements in t

Entered according to Act of Congress in the year 1836, by THOMAS SPOFFORD in the Clerk's Office of the District Court of the Southern District of New York.

#### INTRODUCTION.

THE science of astronomy is of great antiquity; indeed, we may date its origin with that of agriculture, or society itself: but the arts and sciences, like kingdoms and states, have had their various changes and revolutions; sometimes shining with uncommon lustre, and at others involved in obscurity and barbarity. Astronomy, after having flourished for a considerable time, under the auspices of Pythagoras and his followers, was again neglected and obscured for many ages, so that the true system of the universe seems to have been entirely lost and forgotten, and whimsical and erroneous ones were substituted in its place. Instead of consulting the heavens, and collecting the history of nature, succeeding philosophers were ambitious of gratifying their own vanity, by inventing systems, which had no conformity to fact and experiment. Solid orbs and enleveles were ambitious of gratifying their own vanity, by inand epicycles were multiplied to answer every appearance, till the universe had lost all its native beauty in their descriptions, and seemed again reduced to a chaos by their unhappy labours. The erroneous hypotheses or systems of most the earth at rest in the case of Claudius Ptolemy and Tycho Brahe. The former placed the earth at rest in the case of claudius Ptolemy and Tycho Brahe. the earth at rest in the centre of the universe, and supposed all the other heavenly bodies to revolve round it, from east to west, once in about 24 hours. The latter also placed the earth in the centre of the universe, and supposed all the heavenly bodies to revolve round it, and the planets, in addition, to revolve round the sun. These systems round the sun of the universe and supposed all round the sun. of the sixteenth century, when Copernicus, a bold and original genius, adopted the Pythagorean, or true systems were severally supported, till the commencement the Pythagorean, or true systems and the Pythagorean or true systems are the properties of the world to t the Pythagorean, or true system of the universe, and published it to the world to

the year 1530, with new and demonstrative arguments in its favour. Animated with daring enthusiasm, he laid his hands on the cycles and crystal orbs of Ptolemy, and dashed them to pieces. And, with the same noble frenzy, he took the unwieldly earth, and sent her far from the centre of the system, to move round the sun with the rest of the planets; so that, of all the celestial equipage, with which she had been formerly dignified, there only remained the moon to attend and accompany her in her journey. This system is particularly described as the Solar System. As Europe, however, was still immersed in barbarism and ignorance, it was a long time before it was accepted as the true system: but the discoveries of Kepler and Galileo, (by means of the telescope, which was the invention of the latter,) confirmed it; and it has since, by Sir Isaac Newton, been established upon such an immoveable and everlasting basis of mathematical demonstration, as can never be shaken, while the present frame of nature exists.

With regard to some scripture expressions, which, if taken in their literal sense, seem to contradict some of the principles of this system, it may be observed, that men of sense, in all ages, when not treating of the sciences, have adapted their language to the capacity of their hearers; and in this manner, no doubt, those passages are to be understood. Moses and Joshua might have been acquainted with the motion of the earth; but if they had said that the sun was at rest in the firmament, and that the rising and setting of the heavenly bodies were caused by the revolution of the earth on its axis, the Israelites, who were un skilled in human science, would rather have considered them as impostors, than as leaders commissioned by the Almighty to conduct them from bondage and servitude to the promised land. The moon is known to be a dark body, shining only by reflecting the light of the sun: it is also known to be the smallest body visible in the heavens; but it would be idle to tell the common people this, for it appears larger and more luminous than any other, except the sun. Moses, therefore, calls the moon, as well as the sun, a Great Luminary, because he adapted his language to the ideas and conceptions of the people whom he addressed. We cannot suppose that the scriptures were intended to instruct in the sciences, yet many parts clearly prove that their authors were eminent in human learning, as well as divine. The writer, for instance, of the book of Job, whoever he might be, was a profound scholar and philosopher, as well as theologian. Nothing human can in any way compare with the majestic grandeur, beauty, and sublimity of the language of that book—with the exalted ideas and conceptions it gives of the Supreme Being. And it is not in Job only, but in every other part of the Bible, that the most magnificent descriptions of the divine nature, and the works of creation, are given with such majestic beauty and brevi-ty, as it is in vain to look for in any human composition.

To the noble science of astronomy we are indebted for what we know of the most wonderful works of the Deity. In the heavens it is, that the All-wise Creator has chiefly manifested his greatness and power. It is here that sovereign wisdom shines with the greatest lustre and majesty, and that the most sublime ideas of order and harmony reign. In this innumerable host of celestial orbs, all is magnificence, proportion, and regularity. Yet this grand spectacle is not continually exhibited to our view as an object of idle admiration; it is much more connected with the wants and conveniences of man. Unassisted by astronomy, even the least instructed is aware that he would be ignorant even of his own age; as without it, we should have no chronology, and no calendar. It is in the heavens that are found the means of arresting time in its eagle flight, of determining those interesting eras from which we date the most important events, and of regulating the seasons of the year. We are indebted to the science of astronomy for the means by which we now traverse the unfathomable ocean with so much skill and security, and determine at any time our situation on this trackless element. By the interposition of the heavens, immense deserts and vast and unknown countries are explored, and their treasures transported to other regions destitute of these resources; and by this means also, the most distant nations hold their correspondence. It is not only by the knowledge of astronomy that we learn by what means or laws the Almighty carries on and continues the wonderful order, connexion, and harmony, that pervades the planetary system; but our very faculties are enlarged, our minds are exalted above the

grovelling conceptions and prejudices of the ignorant, and our understandings clearly convinced of the immutability and omnipotence of the Supreme Being. And besides enlarging the sphere of human knowledge, and contributing to the wants and conveniences of man, astronomy has also been greatly useful in dissipating the alarm and dread occasioned by extraordinary appearances in the heavens. The portentous advents of comets, formerly considered the sure forerunners of some direful catastrophe, either in the moral or physical world, are now witnessed without consternation or fear, all the phenomena attending them being rationally explained and accounted for. Total eclipses also, which were in ancient times deemed ominous of dreadful evils, now cease to excite alarm or terror, as they are known to be produced by natural causes, and to be regular in their returns as the seasons of the year, or the morning and evening. Indeed, the benefits this sublime science has conferred on society are so great and numerous, that it justly claims a right to our esteem and respect; and there is not, without doubt, another science more deserving our attention, or worthy to occupy and amuse our leisure moments. The study and investigation of the objects of the visible heavens is a delightful and innocent amusement for the evening or the most leaven and cileat hours of sight. But amuse ment for the evening, or the most lonely and silent hours of night. But what is far more, by observation and meditation on the celestial canopy, we are irresistibly led, from the beauty and grandeur of the scenery, to the contemplation of the immensity and infinite goodness of the great Author.

By astronomy we learn that the sun is more than a million times larger than our earth, and at such a distance, that, seen from the sun, our earth would appear no larger than a star appears to us. We also learn, that the stars are at such an immense distance from us, that a cannon ball, flying at the same rate as when first discharged, would not pass from the earth to the nearest fixed star in less than seven hundred thousand years; and that being visible from this vast distance, they cannot be less luminous, or less in size, than our sun: each is therefore, probably, a sun to another system, and has a retinue of worlds revolving round it, and enlightened and warmed by its influence: so that instead of one world, and one sun, in the universe, as many imagine, "astronomy discovers to us such an inconceivable number of suns, systems, and worlds, dispersed through boundless space, that if our sun, with all the planets, moons, and comets, belonging to it, were annihilated, they would be no more missed by an eye that could take in the whole creation, than a grain of sand from the sea-shore-the space they possess being comparatively so small, that it would scarcely be a sensible blank in the universe."

The magnificence and grandeur which we every where behold in the universe, is worthy the Great Being who created and sustains it; yet all this magnificence is one day to pass away; and hence, by His example, He would point out the vanity of all sublunary things, and call our attention to higher destinies and regions. It is not, then, the immensity or multiplicity of these vast orbs that should challenge our attention; they may excite our astonishment, and produce an awful respect for their Creator; but they are nothing more than inanimate heaps of matter, incapable of knowing that Being that called them into existence, and destined one day to perish. Of all created beings, we find only man possessed of that immortal principle destined to survive the wreck of matter, and capable of knowing, serving, and enjoying that Great Being that called it into existence. One immortal soul, therefore, is of more value in the sight of its Creator, than all those vast orbs that roll their immense masses through the expanse of heaven; and hence, we need not wonder that He has done so much for its preservation.

NAMES AND CHARACTERS OF THE SIGNS, PLANETS, AND ASPECTS.

Aries, ♥; Taurus, ♥; Gemini, □; Cancer, □; Leo, Ω; Virgo, ™; Libra, Sun, ⊙ or ⊙; Moon, ⊙ ○ ) €; Mercury, ♥; Aquarius, ∞; Pisces, ¥; ♂; Vesta, ₺; Juno, ₺; Ceres, ⊋; Pallas, ♀; Jupiter, 2½; Saturn, ♭; Mercell, ₧; Conjunction, ♂; Sextile, ∗; Quartile, □; Trine, △; Opposition, ♂; Ascending Node, ♀; Descending Node, ♂.

# PRACTICAL ASTRONOMY.

CHAPTER I.-THE EARTH.

[When any astronomical word or term occurs that is not understood, the Reader may turn to the GLOSSARY, and find it explained.]

The term astronomy is compounded of two Greek words, which signify the law, or the knowledge of the stars.

It is a mixed branch of the science of mathematics: it treats of the heavenly bodies. The heavenly bodies are the Sun; the Primary Planets; the Secondary Planets, which are called Moons and sometimes Satellites; the Comets; and the Fixed Stars. All these bodies are worlds, supposed to be inhabited. Many of them are larger, and some of them are smaller, than our earth.

The earth is the first object to be considered in astronomy.

The earth, or this world which we inhabit, is one of the primary planets: it is a globe, sphere, or ball, a round body, about 8000 miles in diameter, and 25,000 in circumference. This has been proved by incontestable evidence, and will appear plain and rational to any one who obtains but a slight knowledge of astronomy. The earth has been travelled or sailed round many times. The masts of a ship, at a distance at sea, are seen, while the hull is hid by the convexity of the water.

The earth heing so large a body the irregularities of its synfogo the bills and rallows.

The earth being so large a body, the irregularities of its surface, the hills and valleys, take off no more, and in fact not a tenth part as much in comparison, from its circular figure, as the little dents and bunches do from the roundness of an orange; or as

grains of sand do from the roundness of an artificial four inch globe.

All animals, bodies, or things, on whatever side of the earth, are kept on its surface by attraction or gravitation: the earth attracts, or draws to its surface, or towards its centre, all substances, or objects, or things, that are on or about it.

The terms up, and down, refer only to the centre of the earth: up means from the

The terms up, and aown, refer only to the centre of the earth: up means from the centre, and down means towards the centre of the earth, up, as regards space, or the heavens, is in a direction exactly contrary from what it is to us; for a right line which is down to us, if continued through, and beyond the opposite side of the earth, would be up to the inhabitants of the opposite side. The earth turns round on its axis from west to east once in 24 hours, and thus by turning one part of its surface to the sun, and another part of its surface from the sun, makes day and night.

This motion of the earth round its axis from west to east, makes the heavenly bodies, the sun, moon, stars, &c. appear to move round the earth from east to west once in

In 12 hours from now, (if we are near the equator,) to us as regards space, or the heavens, up will be in the same direction that down now is, because the earth will then have turned half round, and our heads will point in the same direction that our feet

We now think that we are on the top part, or upper side of the earth, (in reality, the earth has no top or bottom part, or one part is as much the upper side as any other,) and in 12 hours, we shall also think that we are then on the upper side of the earth, when our situation will be what the under, or bottom part, or side of the earth opposite to us, now is; because the earth will have turned half round, and that part of the heavens, or that part of space, and those stars that are now directly under our feet on the opposite side of the earth, (if we are at, or near the equator,) will then be directly over our heads. Up and down, therefore, are only relative terms; they relate exclusively to the centre of the earth.

In whatever part, or on whatever side of the earth we are, we have the sky over our heads, and our feet towards the centre of the earth: we call it up, over our heads, and down under our feet: that is, towards the centre of the earth is down, and proceeding

from the centre, is up.

The apparent circles of motion of the heavenly bodies, caused by the motion of the earth round its axis, are very different, in different places. The celestial sphere is called

earth round its axis, are very different, in different places. The celestial sphere is called right, parallel, or oblique, as the plane of the equator is perpendicular or at right angles to the plane of the horizon, or, as it is parallel or oblique thereto.

The inhabitants of the earth at the equator, are in a Right Sphere, because here the plane of the equator is perpendicular, or at right angles to the plane of the horizon; the poles being in the horizon, and the plane of the equator passing through the zenith and nadir, all the apparent circles of motion of the heavenly bodies are perpendicular or at right angles to the horizon; that is, all these bodies rise from the horizon, and descend to it, at right angles, and are just as long above, as they are below it; and the days and nights are always equal.

The poles are in a Parallel Sphere, because here, the plane of the equator is parallel to the plane of the horizon; the poles are in the zenith and nadir: all the apparent circles.

to the plane of the horizon; the poles are in the zenith and nadir; all the apparent cireles of motion of the heavenly bodies are parallel to the horizon, that is, they all revolve round without setting or without rising: those stars above the horizon never set, and

CHAP. I.]

those below it never rise: the sun revolves parallel to the horizon without setting for six months; and then revolves in the same manner as long below it, without rising, making but one day and one night, of six months each, in the year. At the summer solstice the sun is highest above the horizon, his altitude being always equal to his declination. At the equinoxes the sun is in the horizon for more than 30 hours, revolving

with his lower limb below, and his upper limb above the horizon.

All places between the poles and the equator are in an Oblique Sphere, because the plane of the equator is oblique to the plane of the horizon; the pole is between the plane of the horizon; the pole is between the special pole is the horizon; the approach special pole is pole in the pole is between the special pole is pole in the pole in the pole in the plane of the horizon. zenith and the horizon; the apparent circles of motion of the heavenly bodies are oblique to the horizon, that is, these bodies rise and go down obliquely to the horizon. all at a distance from the equator, are not the same time above, that they are below the horizon; and the days and nights are never equal except when the sun is in the

Note—The elevation of the pole above the horizon at any place is always as many degrees as the place is from the equator; that is, the altitude of the pole is always equal to the latitude of the place.

The earth is 95 millions of miles from the sun, and besides revolving round its own axis once a day, the earth moves round the sun once a year, similar to a top that leans a little sideways and spins round itself or its aviage and at the semesting mayes in a circle little sideways and spins round itself, or its axis, and at the same time moves in a circle round a nail or pin on the floor.

This leaning of the earth's axis, 23° 28' from an erect position, causes the different seasons and the different length of the days and nights. If the earth's axis were perpendicular to the plane of the ecliptic, that is, if the earth moved round the sun with its axis upright, similar to a top that stands erect and spins round itself or its axis, and at the same time moves round a pail or pin on the floor, there would be no difference

its axis upright, similar to a top that stands erect and spins round itself or its axis, and at the same time moves round a nail or pin on the floor, there would be no difference of seasons, and the days and nights would always be equal, 12 hours each.

This may be made plain by taking a small artificial globe, or any ball, with a wire through it, to represent the axis and poles of the earth, and carrying the ball which represents the sun: thus, if you have no globe or other ball, take a common ball of yarn 2 or 3 inches in diameter, or larger, or smaller than this; take a straight wire, as long, or longer than the diameter of the ball; pass the wire through the ball, so that the centre of the wire shall be in the centre of the ball; tie a string round the ball so that every part of the string shall be couldly distant from the a string round the ball so that every part of the string shall be equally distant from the ends of the wire. Now call the ball the earth; the wire its axis and poles; and the string the equator: call the flame of a candle on a table the sun: place the south pole of the earth on or over the table 2 or 3 feet south of the sun, (the centre of the earth being just as much above the table as the centre of the sun is,) let the axis or the north pole lean a little, (that is, 23°28') from a perpendicular line towards the north. The earth will now little, (that is, 23°28') from a perpendicular line towards the north. The earth will how be shown at the Summer Solstice, that is, at June 21st; keeping the axis in this position, turn the earth round its axis, turning the part next the sun from east to west; that is, turn the earth contrary to the way the hands of a watch move; to all the places the sun shines on, it is day; and to all the places the sun does not shine on, it is night; as the places come into the light of the sun, the sun rises to those places, and as they go out of the light of the sun into the dark, the sun sets to them. As the earth turns on its axis, it will be seen that all places north of the equator are longer in the light than they are in the dark; therefore the days at those places are longer than the nights; and at the pole there will be no night, as the sun shines on the earth beyond the pole: and places near the pole, as the earth turns on its axis, will not go into the dark at all, but have constant day; and places near the south pole will have constant night. Now remove the earth, and place it 2 or 3 feet east of the sun, keeping the axis leaning in the same manner to the north, and the earth will be shown at the Autumnal Equinox, Sept. 23d. Again, place the earth 2 or 3 feet north of the sun, and it will be represented at the Winter Solstice, Dec. 21st.; and if it be placed west of the sun, it will be shown at the Vernal Equinox. March 21st.

The earth's axis always keeps its parallelism; that is, the axis in any one part of its orbit, is always parallel to what it was in any other part; or the axis always leans towards the same part of space, or the heavens; or the variation is so little that it cannot be perceived in many years.

On one side of the sun, the north pole leans towards the sun; and when the earth has moved half round the sun, or half through its orbit to the other side of the sun, the north pole leans from the sun. When the earth is on one side of the sun, and the north pole leans towards the sun and the south pole leans from the sun, the north pole is enlightened by the case and the south pole leans from the sun, the north pole is enlightened by the sun and the south pole is in the dark; and when the earth is on the other side of the sun, and the south pole leans towards the sun and the north pole leans from it, the south pole is in pole leans from it, the south pole is enlightened by the sun and the north pole is in the dark.

When the earth has moved from either of these sides or points of its orbit one quarter round the sun, or through one quarter of its orbit, neither pole leans towards or from the while the axis and poles lean sideways to the sun, and both poles are enlightened.

While the earth is moving through one helf of its artist the portionals is constantly While the earth is moving through one half of its orbit, the north pole is constantly latitude, or north of the equator, the days are longer than the nights; and in all places in north south of the equator, or in south latitude, the days are shorter than the nights: and while the earth is moving through the other half of its orbit, the south pole is constantly enlightened by the sun, and the north pole is in the dark; and in all places south of the equator the days are longer than the nights; and in all places north of the equator, the days are shorter than the nights.

When the carth is at gither equipment, both poles are invertible adds of the light.

When the earth is at either equinox, both poles are just in the edge of the light, and the days and nights are equal all over the world.

As regards a spectator at the sun, the earth moves round the sun from the right

hand to the left. It is generally said the earth moves from west to east; but it is evident that if in one part of its orbit, it moves from west to east, in the opposite part it moves from east to west, as regards space, or the heavens. And as regards a spectator at the sun, as the earth moves round its axis, the side of the earth next the sun moves from the left hand towards the right, and consequently the side opposite the sun moves from the right hand to the left: that is, the diurnal motion of the side of the earth next the sun, is in an opposite direction to the annual motion of the earth in its orbit round the sun; and the diurnal motion of the side of the earth opposite the sun is in the same direction as the motion of the earth in its orbit.

The annual motion of the earth round the sun, makes the sun appear to move round the earth once a year. And the diurnal motion of the earth round its axis, makes the sun and other heavenly bodies appear to move round the earth once a day

We say the durnal motion of the earth is from west to east, because the apparent motion of the sun and moon from rising till setting is from east to west; but it is evident that when one side of any globe or ball that turns round its axis, is moving from west to east, the opposite side, in turning round the axis, is moving from east to west; but we are as insensible of this with regard to our own motion as we are that the direction of our feet at six o'clock in the morning is opposite to their direction at six o'clock in the evening. So if we should set out from any place, and travel directly forward without turning either to the right or to the left, we should in time travel enthrely round the earth, and arrive at the place we started from; and this would be the case, in whatever direction we started. When at half the distance round the earth, up. to us, would be exactly the opposite direction it was when we started; and we should be travelling towards the opposite part of the heavens to that we were when we started; but we should not be sensible of this, but should think we were always travelling towards the same part of the heavens, and that up was always in the same

East and west are only relative, or local terms; at the poles, there is no such thing as east or west, but every direction from the north pole, is south; and every direction from the south pole, is north. When it is said that the earth moves in its orbit from west to east, the meaning is, that it moves from right hand to left as seen from the sun.\* And when it is said that the earth revolves round its axis from west to east, the meaning is, that as seen from the sun, the side of the earth next the sun, moves from left hand to right, and the side opposite the sun moves from right hand to left; but the motions of the earth have already been explained with a ball representing the earth. and a light representing the sun; by carrying the ball round the light from south to east and north, &c.

Though the earth is a globe, yet seen from the sun or moon, or from a distant point between us and the sun or moon, it appears like a flat round surface, as the sun or moon appears to us.

This appearance is called the earth's disk.

By the motion of the earth round its axis, places on its surface describe, in 24 hours, circles or paths parallel to the equator. These circles or paths, are the parallels of latitude of those places. As seen from the sun, these paths or parallels on the earth's disk, appear different; they vary with the sun's declination. When the sun is in the plane of the equator, all the parallels of latitude on the earth appear to a spectator at the carth's disk, heavened the carth's control to the carth appear and the carth's disk heavened the carth's property as a care of the carth's disk heavened the carth's care and the the sun to be straight lines across the earth's disk, because the earth appears so small that the spectator may be considered in the plane of each parallel. But when the sun is not in the plane of the equator, that is, when he has north or south declination, the spectator at the sun being not in the planes of the parallels, they appear to him to be curve lines or ellipses on the earth's disk. As seen from the sun from sunrise till

sunset, or from 6 in the morning till 6 afternoon, places on the earth describe paths from west to east across its disk. These paths are the parts of the parallels of latitude of the places which are described in the daytime.

The sun appears to rise from behind the eastern part of the earth, and to set behind the western; because we look towards the east to see the sun rise, and towards the west, to see it set: but it is only from behind the eastern part of that very small portion of the carth which we can see that the sun rises from behind; and it sets behind the of the earth which we can see, that the sun rises from behind; and it sets behind the western part of the same small portion. The diameter of the earth's disk is nearly western part of the same shall be some state of the western part of the earth. The earth being round, we can see only that part of it which is within a few miles of us. At sunset, near the equator the whole portion of the earth which we can see, together with what the sun sets behind, is nearly 8000 miles east of the western part of the earth: for by the motion of the earth on its axis from sunrise till

<sup>.</sup> In the northern hemisphere, but in the southern the contrary way.

CHAP. I.]

sunset, we have been carried nearly 8000 miles from west to east. The sun, therefore, in reality, rises from behind the western part of the earth, and sets behind the eastern; for we can see that part of the earth which the sun sets behind, and we can

Bee only the part where we are, or within a few miles of us.

The sun, the source of light and heat to the earth, and other planets, and their centre of motion, and centre of gravity, is an immense globe, more than a million of times larger than this world. The moon is of itself, a dark body, and shines only by reflecting the light of the sun. It is a globe 2180 miles in diameter, being about 49 times smaller than the earth, and along miles distant from the earth.

times smaller than the earth, and 240,000 miles distant from the earth.

The moon is a satellite to the earth, its centre of motion, and centre of gravity. The moon moves round the earth from the sun to the sun again once in about 29½ days; and is carried with the earth round the sun to the sun of the moon round. and is carried with the earth round the sun once a year. The motion of the moon round the earth once in 29½ days, is in the same direction, and nearly in the same plane, in which the sun appears to move round the earth once a year.

The bright part of the moon, that is, the part visible, is what the sun shines on. At full moon, the sun being on one side of the earth, and the moon nearly on the other, we see nearly all that part which the sun shines on, the enlightened part being towards no

At new moon, the moon being nearly between the earth and the sun, the enlightened part is wholly turned from us, we can see no part that the sun shines on, and of course we can see no part of the moon, it is entirely invisible.

At the Quarters, or Quadratures, we can see only half of what the sun shines on.

Note.—When the moon, or any other planet, is said to be in the ecliptic or in the tenanting is, that it is in the plane.

The moon is eclipsed when the sun does not shine on it. An eclipse of the moon.

The moon is eclipsed when the sun does not shine on it. An eclipse of the moon which can only happen at the full moon, when the sun is on one side of the earth, and the moon on the opposite side, is caused by the moon's being in the earth's shadow; that is, the earth being directly between the sun and moon, prevents the sun from shiping on the moon.

An eclipse of the sun, which can happen only at the time of new moon, is caused by the moon's coming between the earth and the sun, and hiding the whole, or a part of the sun, from those parts of the earth to which the sun is eclipsed: that is, the moon's shadow falls upon those parts of the earth to which the sun is eclipsed.

shadow falls upon those parts of the earth to which the sun is eclipsed.

If the moon's orbit coincided exactly with the plane of the ecliptic, that is, if the moon moved in this plane, she would be eclipsed at every full, and the sun would be eclipsed at every new moon. But the plane of the moon's orbit makes an angle with the plane of the ecliptic of about 5°; one half of the moon's orbit being elevated about 5° above the plane of the ecliptic, and the other half depressed as much below it. The plane of the ecliptic, therefore, cuts or intersects the moon's orbit in two points diametrically opposite to each other: these points are called the moon's nodes. The moon one of her nodes; consequently she can never be eclipsed, or eclipse the sun, but when she is in or near one of her nodes. That node from which the moon ascends northward, or above the plane of the ecliptic in north latitude, is called the Ascending Node; and the other the Descending Node, because the moon, when she passes it, descends below the ecliptic to the south.

and the other the Descending Ivode, decause the moon, when she passes it, descends below the ecliptic to the south.

These things may be made plain, by taking a small ball, as a small marble or bullet about half an inch in diameter, for the earth; a smaller ball, as a pea or a buck shot, as the sun is so much larger than the earth, to give these their proper proportions as to size and distance, if the flame representing the sun, is so much larger than the earth, to give these their proper proportions as to size and distance, if the flame representing the sun, is so much larger than the earth, to give these their proper proportions as to size and distance, if the flame representing the sun, inches the throughout the property of an inch in dismitted the sun of the sun, or it would not be the bundredth part of an inch in dismitted the sun of the sun, in the sun that it is sun, the sun is so much larger than the sun inch. But we have the earth 2 or 3 feet north of the sun, on a level with the sun; place the moon round the earth, keeping it at about the same distance from the earth, carrying it from east to north, then to west, and then to south, &c. but not keeping it on a level, or in the same plane with the earth and sun; when the moon is north of the earth, and in this case in opposition to the sun, let it be above the level, or plane, in which the earth and sun are, and 3 or 4 times its diameter above the earth's shadow: when it is south of the earth, and in this case in conjunction with the sun, and nearly between the earth and sun, let it be below the level or plane in which the earth and sun are, so that its shadow may fall 3 or 4 times its diameter below the earth. This is the manner in which the moon moves round the earth, and in this case it is plain, there could when the moon in the carth and sun are, so that its snadow may ian 5 or 4 times its diameter below the earth. This is the manner in which the moon moves round the earth, and in this case it is plain, there could be no eclipse either at the new or full moon. When the moon is on a level with the sun and earth, that is, when it is in the same plane, or in the plane of the ecliptic, it is sun and earth, that is, when it is in the same plane, of in the plane of the echipite, it is in one of its nodes. In this case, it was in its ascending node when it was east of the earth; and in its descending node when it was west of the earth; it was in the highest part of its orbit when it was north, and in the lowest part, when it was south of the earth. The nodes, or places in its orbit, where the moon is, when it is on a level with the earth and sun, are continually moving at the rate of about 190 in a year contrary

When the nodes have moved so far that one is between or nearly between the earth and sun, it is evident that the moon in moving round the earth from south to east, and then to reach and the learth from south to east, and then to north and west, &c. is in or near one node at the new moon, and in or near the other at the full moon; and in the highest part of her orbit when she is east of the earth at the first quarter, and in the lowest when she is west of the earth at the last quarter; and in this case, there will be an eclipse both at the New and Full Moon, for the mean will the heavest had or in the same plane with the earth and over the moon will then be nearly on a level, or in the same plane with the earth and sun. At new moon, the sun and moon, as seen from the earth, always have the same longitude and are always at the same distance from the moon's node. If at new moon, the sun and moon are not more that 160 from one of the nodes, there will be an eclipse of the sun.

At the full moon, the moon is always at the same distance from one node that the sun is from the other, because the sun and moon are in opposition. If at the full moon, therefore, the sun is not more than 10° from one of the nodes, there will be an eclipse of the moon.

In calculating eclipses, the sun's distance from the node is used instead of the moon's; because the sun's place is much easier to find than the moon's; and at eclipses of the sun, the sun's distance from the node is the same as the moon's; and at eclipses of the moon, the sun's distance from one node is the same as the moon's distance from the other.

A right or straight line joining the nodes, or from one node to the other, is called the line of the nodes. When the sun at new or full moon, is in this line, the sun, moon and earth are all in a right line, and if it be new moon, the moon's shadow falls upon the earth, and makes an eclipse of the sun: if it be full moon, the earth's shadow falls upon the moon, and makes an eclipse of the moon.

At new moon, if the sun and moon are more than 16° from the nearest node, the moon is too high or too low in her orbit to cast any part of her shadow upon the earth, and there will be no eclipse of the sun.

At full moon, if the sun is more than 100 from the nearest node, the moon of course is the same distance from the other node, and consequently the moon is too high or too low in her orbit to go through any part of the earth's shadow, and there will be no eclipse of the moon.

By the motion of the earth round its axis in 24 hours, the sun and moon appear to move round the earth in the same time: and by the motion of the earth round the sun in a year, the sun appears to move round the earth in the same time: and every appearance is the same, whether we suppose the sun moves, and the earth remains at rest, or whether we suppose, (as is the case,) the earth moves, and the sun is

The orbit or path, in which the moon moves round the earth once a month, is not an exact circle, but an ellipse or oval, and the earth is in one of the foci. Also the ecliptic, or orbit or path in which the earth moves round the sun once a year, is an ellipse, and the sun is in one of the foci.

Bach orbit is divided into 12 equal parts called signs; each sign into 30 equal parts called degrees; each degree into 60 equal parts called minutes; each minute into 60

called degrees; each degree into 60 equal parts called minutes; each minute into 60 seconds; each second into 60 thirds, &c.

Beginning at that part of the ecliptic where the sun is, at the vernal equinox, that is, where the plane of the equator crosses the ecliptic, the names and characters representing the signs, going round in the order the sun moves, are as follows:—

1st, Aries, %; 2d, Taurus, %; 3d, Gemini, II; 4th, Cancer, ©; 5th, Leo, Q; 6th, Virgo, W; 7th, Libra,  $\triangle$ ; 8th, Scorpio, M; 9th, Sagittarius, I; 10th, Capricorn, V); 11th, Aquarius,  $\mathcal{M}$ ; 12th, Pisces,  $\mathcal{H}$ .

As every appearance is the same, whether the earth moves, or the sun moves; and as the earth in moving round the sun, makes the sun appear to move through the

as the earth in moving round the sun, makes the sun appear to move through the signs of the ecliptic, as there is frequent occasion to speak of the sun's place in the ecliptic, which place is always the opposite point to that in which the earth is; in constructing tables of motion, the sun is considered to move in the ecliptic round the earth once a year; though the fact is otherwise, yet every appearance is the same as if this were really the case; the sun, therefore, and not the earth, is considered the moving

body.

The orbits being ellipses, and not circles, the sun and moon are continually changing their distances from the earth. The mean, or average distance of the sun from the earth, is 95 millions of miles, but at the nearest point of the orbit, it is only about 97 millions.

The mean distance of the moon from the earth is 240,000 miles; but in that part of her orbit which is farthest from the earth, her distance is 253,000 miles; and in the part nearest the earth, the moon is only 227,000 miles from the earth. The farthest point of each orbit from the earth, is called the Apoges; and the nearest point the Perices. These points are diametrically opposite to each other, six signs apart; a right line from one to the other is called the Line of the Apsides.

When the Creator launched the planets from his hand, he gave them their centrifusal and continued forces, and adjusted the one force to the other see that the planets

gal and centripetal forces, and adjusted the one force to the other, so that the planets

should move between them, neither flying off in right lines, nor descending to their centres of gravity, but moving round them in circles or ellipses.

The nearer any object is to the eye of the spectator, the larger it appears, or the

The nearer any object is to the eye of the spectator, the larger it appears, or the greater is the angle under which it is seen,—the farther from the eye, the less.

The sun and moon appear larger when they are in perigee than when they are in apogee; that is, their diameters subtend larger angles in perigee than in apogee; and the differences of these angles agree exactly with elliptic orbits, supposing the lower focus of each orbit to be the earth's centre. The motions of the sun and moon are observed to become continually swifter while they are moving from their apogee to the perigee; and to become continually sharer from the pagee, being

observed to become continually switter while they are moving non-ther apogee; being slowest of all in the apogee, and swiftest of all in the perigee. The reason of this is, the nearer any body is to the sun or earth, the more it is attracted by the sun or earth; and this attraction increases as the distance becomes less.

While the sun and moon are moving from the increase to their perigee, they are con-

While the sun and moon are moving from their apogee to their perigee, they are continually approaching nearer and nearer to the earth, which causes the moon to be more and more attracted by the earth; and the earth more and more attracted by the sun: and this greater attraction causes the motion of the sun and moon to become swifter. But while the sun and moon are moving from their perigee to their apogee, their distance from the earth is continually increasing, and of course the attraction is constantly growing less, which causes the sun's and moon's motion to become slower.

The distance of the sun or moon from its apogee, perigee, or any other given point of its orbit, is reckoned in signs, degrees, minutes, seconds, &c. Here the distance the luminary has moved through from any given point, is meant, and not the space it

is short of it, in coming round again.

The point of the orbit in which the sun or moon is, at any time, is called the place

of the sun or moon at that time.

The distance of the sun or moon from its apogee, at any time, is called its anomaly; so that in the apogee the anomaly is nothing; and in the perigee the anomaly is signs. When the sun or moon is in apogee or perigee, its place is the same as it would be if its motion were equal and uniform in all parts of its orbit.

The supposed equal motions are called mean; the unequal are justly called the true. The mean place of the sun or moon is always before the true place, while the luminary is moving from its apogee to its perigee; and the true place is always before the mean, while the luminary is moving from its perigee to its apogee. In the former case the anomaly is always less than six signs; and in the latter case, more. These things may be made plain by a figure: thus,—Let  $\bigoplus$  (Fig. 1) be the earth; AWPE the orbit of the moon; A its apogee, and P its perigee. While the moon moves from A by W, towards P, it is continually getting nearer and nearer to the earth, and of course it is more and more attracted by the earth; and its motion becomes continually swifter, and the moon's motion swiftest. While it moves from P by E, towards A, it is continually getting farther and farther from the earth, the attraction becomes constantly less, and the moon's motion slower, till it arrives at A, its farthest distance from the earth, when the earth's attraction is least and the moon's motion slower, till it arrives at A, its farthest distance from the earth, when the earth's attraction is least and the moon's motion slowest.

Tables of the motion of the heavenly bodies are made as if their orbits were perfect The supposed equal motions are called mean; the unequal are justly called the true.

Tables of the motion of the heavenly bodies are made as if their orbits were perfect circles, and their motion uniform; and the place of any heavenly body found from these tables is called the mean place, which is reduced to the true, or real place, by

CHAP. II.—EXPLANATION OF THE TABLES.

CHAP. II.—EXPLANATION OF THE TABLES.

To make tables of the motions of the sun, moon, and planets, in order to compute their places at any given instant, the first thing to be done, is to determine, from careful observations, the exact time required by the sun and moon to perform a complete revolution in their orbits, or to describe the space of \$50°.

Some of the stars may be seen at any time of the day with a good telescope, and particularly at the time of an eclipse of the sun, if there are no clouds in the way. Note the exact time of the conjunction of a particular star with one of the limbs of the sun or moon; and then note how much time clapses before its next conjunction: the time thus elapsed is the time of one revolution of the sun or moon. This time may be more accurately determined by dividing the time required for several revolutions by the number of revolutions, there is important element is exactly ascertained, it can easily be found, by multiplication or division, given time; or in any time the self-the first, or how many times through their orbits, the sum moon move in any ries of observations, that it suggest through the eclipite from any fixed star to the sum of the orbits, or how many times through their orbits, the seaf found, by a long see 61, 9m. 11.5s., which is called the Soldred year; and from either equinox or solstice to the same star again in 385d. sh. 48m. sons depend. The reason the two first periods are longer than the solar year, as on it the search sum, and moon, and planets, upon the earth—explained under the article, Precession of the Equinoxes. As the sum, each year, performs its revolution from the equinox to solar year, is the combined attraction of As the sum, each year, performs its revolution from the equinox to solar year, as on it the search sum, and moon, and planets, upon the earth—explained under the article, Precession of the Equinoxes. As the sum, each year, performs its revolution from the equinox to the equinox again, 20 minutes 2.5 seconds sooner than from a fi

would always be of this length, if the motions of the sun and moon were always uniform and equal in one part of their orbit to what they were in any other part. But this is not the case; and the strong attraction of the earth and sun upon the moon varies her motion, and makes the above mean periods sometimes longer and sometimes shorter; but all the variations of the moon's motion may be accurately ascertained, and tables of them constructed; as a may also the variation of the motion of the sun, or rather of the earth, caused by the attraction of the sun.

by the attraction of the sun.

The difference between the three first of the above periods of the moon's motion, viz, her revolution with regard to the node, to a fixed star, and to her aposee, is caused by the attraction of the sun and earth, but the reason the tunation is so much longer than either of the other periods, is, that while the moon goes round the earth, from the sun to the sun azain, the earth goes almost a sign forward, causing the sun to appear to go through almost a sign in the ecliptic; consequently, the moon must go almost a sign more than round the earth before she can overtake the sun. The time of the lamon in stond as follows: viz.—find the time from the middle of one colipse, to the middle of another of the same kind, many years after; divide this time by the number of lunations between the two eclipses, and the time of a mean lunation will be had.

When the moon or a planet is said to be in such a sign, degree, &c., or in such a part of the ecliptic, the ecliptic is.

the time from the middle of one eclipse, to the middle of another of the same knal, many route of the that the pit the middle of mastice settings, and the time of a mean hasticn will behalt. When the moon or a planet is and to be in such a sign, degree, &c., or in such a part of the ecliptic, the when the moon or a planet is the same direction from the centre of the earth that this part of the ecliptic. It is frequently said, that the moon or a planet is in, or crosses, the ecliptic or of the equator.

It is frequently said, that the moon or a planet is in, or crosses, the ecliptic or of the equator.

It is frequently said, that the moon or a planet is in, or crosses, the price or the equator.

It is the common property of the common or common or

As has been before observed, the unequal motion of the sun and moon, is the reason their mean and trus places differ: for the same reason, the time of mean syzzyg differs from the time of true syzygy. The first difference, or equation, between the mean and true syzygy, is caused by the sun's unequal motion, and the variation of his distance from the earth and moon; this depends on his anomaly. When the sun's anomaly is less than six signs, that is, while he is moving from his apogee to his perigee, him, sooner, or in less time, than she could if his motion were uniform and equal; and when his anomaly is mean place, it is, while he is moving from his apogee, his true place being before his more than six signs, that is, while he is moving from his perigee to his apogee, his true place being before his mean place, the moon will require more time to overtake him, or be in opposition to him, than she would if his motion were uniform.

last of February; but the motions for this day are added to the motions for leap years, as if the day came in at the beginning of the year.

To find the sun's mean anomaly, proceed in the same manner as to find his mean longitude, only instead of \$85d, 5h, 48m, 49s, take \$65d, 6h, 13m, 58.8s, the anomalistic year.

The distance of the equinox and apogee from any particular star, and the sun's longitude and anomaly at any time, may easily be found by any person having accurate instruments, and knowing how to many other time, by adding or subtracting the mean motion having accurate instruments, and knowing how to The longitude and anomaly for the mean motion in longitude and anomaly for the interval, year, it is convenient to add the longitude and anomaly of any particular month and day of any separation of the star of the property of the particular month and day of any so plain the longitude and anomaly for the month of January 1st, of any year, is a then the longitude and anomaly for the month of January 1st, of any year is and anomaly for one day, must be added to the longitude and anomaly for the solution of the sist December preceding: that is, for the longitude and anomaly for the year, and the longitude and anomaly for the poon of February 20th of that year will be find. So to the longitude and anomaly for the year, and the longitude and anomaly for the poon of February 20th of that year will be find to year and the longitude and anomaly for the poon of February 20th of that year will be find to year year. It was not not not be anomaly for the year, and the longitude and anomaly for the poon of February 20th of that year will be find to year year. It was not not not year, the longitude and anomaly for the year, and the longitude and anomaly for the year, and the longitude and anomaly for th

year, and for a number of days one less than the given day of the month, may be added to the longitude and year, and for a name of days one less shall all gives any anomaly for the given year.

The distance the sun and moon's ascending node move from each other in hours, minutes, and seconds, is annexed to this Table; being used in calculating eclipses.

The distance the sun and moon's ascending node move from each other in hours, minutes, and seconds, is

The distance the sun and moon's ascending node move from each other in nours, minutes, and seconds, is annexed to this Table; being used in calculating eclipses.

Table 11, page 22, is an equation depending on the sun's mean anomaly, used to reduce the sun's mean place to the true place. The principle has afready been explained.

Table 12, page 15, is on the same principle as Table 11. It is formed by adding the annual equation of the Moon's Node, to the equation of the Sun's centre; that is, the numbers in Table 23, to those in Table 11.

Table 13, page 22, shows the sun's declination to every degree of his true longitude.

Table 14, page 17. Angle of the moon's orbit with the ecliptic in eclipses; which depends on her distance from her Node, and her hourly motion from the sun.

Table 15, page 23; The moon's latitude in eclipses; depending on her distance from her Node, and the angle of her orbit with the ecliptic.

Table 16, page 16. The horizontal parallax of the moon; and the semidiameters and hourly motions of the sun and moon, depending on their respective anomalies.

Table 17, p. 18; Reduction of the ecliptic to the equator; or difference between the sun's longitude and right ascension; or between the longitude and right ascension of any point of the ecliptic, found by the sun's longitude, or the longitude of the points of the ecliptic. The reason of this difference may readily be seen, and the difference found by an artificial globe, in which it will appear that while the longitude is between 1 and 3 and 3, and between 6 and 9 signs, the longitude is greater than the right ascension, and at all other times, less.

times, tess.

Table 18, p. 20; Equation of time. This is computed by finding for every degree of the sun's longitude, the corresponding anomaly, and taking the equation for this anomaly from Table 11, and changing it into time, which gives one part of the equation; then change Table 17 into time for the other part; the sum of ference of these parts is the equation. Thus Table 18 is formed; every equation in it being the sum or

CHAP. II.

telement of these parts is a difference of two other equations.

Table 19 page 19, is formed by reckoning four minutes of time to one degree of longitude; and in this

Table 19 page 19, is formed by reckoning four minutes of time to one degree of longitude; and in this proportion for any greater or less quantity.

Table 20, p. 16, is formed by observing through a lunar month how much the tide is accelerated or retarded by the action of the sun; as the sun, when it passes the meridian from 0 to 8 hours before the moon, (that is, when the moon passes the meridian before 8 o'clock, either morning or evening), accelerates the time of high water, and retards it at other times. The equation in this table depends also in part upon the moon's distance from the earth; the time of high water happening carliest when the moon is nearest the earth, and the moon is nearest the earth when her horizontal parallax is greatest.

Table 21, page 19, shows the time (found by observation) to be added to the time the moon is on the meridian, to find the time of high water as unaltered by the sun. The perpendicular rise of the water in feet at some of the places is also given; and also the latitude and longitude of the places from Greenwich observatory.

at some of the places is also given; and does not some of the principal fixed stars.

Table 22, page 19, the right ascension and declination of some of the principal fixed stars.

Table 23, page 24, dip, or depression of the horizon, at different heights above it: that is, this table contains the angle between a level line, and a line from the eye of the observer to the visible unobstructed horizon; when the eye is at different heights in feet above the horizon.

Table 24, page 18, dip or angle between a level line, and a line to the surface of the earth, or water, at different distances from the observer.

when the eye is at different heights in feet above the horizon.

Table 21, page 18, dip or angle between a level line, and a line to the surface of the earth, or water, at different distances from the observer.

Table 25, p. 20, augmentation of the altitude of a celestial body, caused by the refraction of the earth's atmosphere affects this a little threation being greatest when the thermometer is lowest. This Table is calculated for 55 deg. of Falirent at the control of the surface of the turb at any state of the threation and at different lettle of the threation being greatest when the thermometer is lowest. This Table is calculated for 55 deg. of Falirent to the care in the control of the turb at any state of the threating and at different declinations and at different lettle of the termometer.

Table 26, p. 20, the semi-diurnal or semi-nocturnal arc of the sun aname. this Table shows the semi-diurnal rad are on the earth if the declination and latitude are of different names, it shows the semi-nocturnal arc. By correcting, it also enswers for the semi-diurnal or semi-nocturnal arc of any other celestial body, or rather for healf the accurately found by trigonometry, as follows viz.: to the tangent of the altitude of the place and the declination are declination of the sun is subtract the radius from the sum, the remainder is the cosine of the semi-nocturnal arc, when the latitude and declination are of different names, that is, one north, sund the other south: and the remainder is the cosine of the semi-nocturnal arc, when the latitude arc from 12 hours, one of the same mane; that is, both north, or hold south. Subtract the semi-nocturnal arc from 12 hours, one of the moon is more than 23 deg. 28m. its semi-diurnal arc.

Table 27, p. 21, change of the moon's right ascension from the sun's a correction to be applied to the time the moon is on the meridian at any place, to find the time she is on the meridian of any other place. This Table also contains the correction to be added to the sun's semi-diurnal arc

Table 23, p. 23, time answering to a change of 33m. of altitude at the horizon; or the time the sun, or any heavenly body, (on account of the refraction of the earth's atmosphere.) appears in the horizon, before it is actually there; corresponding to the declination of the sun, or body, at the head of the Table, and the latitude of the place in the left hand column.

actually there; corresponding to the declination of the sun, or body, at the head of the Table, and the latitude of the place in the left hand column.

Tables of the moon's mean motion are made in the same manner as those of the sun. The moon's period, or time in which she makes one complete revolution being known. To find her mean motion in longitude for one year of 355 days, multiply 360 degrees by 365, and divide the product by the time of her tropical revolution, the quotient is her mean motion in longitude for 355 days; divide this by 365, and her mean motion in longitude for 355 days; divide this by 365, and her mean motion in longitude for 355 days; and dividing the product by the time of her anomalistic period, or revolution; divide this quotient by 365, and her mean motion in nomaly for one day will be had. The retrograde motion of the moon's node in node; divide this quotient by 365, and dividing the product by the time of the revolution of the node; divide this quotient by 365, and the motion of the node in one day will be had.

The mean motions for one year multiplied by 2, give the same for 2 years; and the mean motions for one year, and the mean motions for 3 years, theeause every 4th year is leap year.) add the mean motions for one year and one day, and the mean motions for 4 years will be had. In this manner a table may be made and carried as far as you please.

The motion in longitude and anomally, and the motion of the node for one hour, is found by dividing the motions for one day by 32. Divide the motions for one bour by 60, and the motions for one nimute by 60, and the motions for one hour by 42. Divide the motions for one hour by 42. Divide the motions for one hour by 60, and the motions for one by 42. Divide the motion for one bear by 60, and the motions for one hour by 60, and the motions for one hour by 60, and the motions for one by 60, and the

It is better to make a table of semi-diurnal arcs for the latitude of the place, and declination for every 15' to 30 or 40°; which by correcting may be used for the moon, a planet or star.

CHAP. II.

anomaly, and the mean longitude, &c. on any given day of any month, to add her longitude, &c. for that month and the Ist day of January. Les ame for one day must be added to that of December 31st; and to find the longitude, &c. on any given day of any month, to add her longitude, &c. of that month and the 1st day of January. Les ame for one day must be added to that of December 31st; and to find the longinging of the 1st hof January, add the same for 15d days to that to The December 31st; and to find the longinging of 1st, and so on. Having the longitude and anomaly at the beginning of 1800, the same for the days at the beginning of 1st, and so on. Having the longitude and anomaly at the beginning of 1800, the same for the beginning of 1st, and so on. Having the longitude and anomaly at the beginning of 1st, and so on. Having the longitude and anomaly at the beginning of 1st, and so on. Having the longitude of the node, at the beginning of 1st, to find the same for the motion of the node is retrograde. Thus the Tythle is made, and continued at pleasure.

The moon's motions are affected with many inequalities, and many equations are necessary to reduce earth, it has already been observed, are the cause of these inequalities; and any further investigation of the replantion of them, belongs the physical astronomy, and is not here necessary. The equations are the arguments for these equations, and of taking out and applying them, is described in Problem 29. Tables 38 and 39, page 24 and 22, are for the moon's latitude, which depends principally upon her distance Table 40, page 24, is the moon's latitude, which depends principally upon her distance

earth, it has already been, the caption to bis of the earth and moon, and the attraction of the sun and contained in Tables 31, 23, 33, 34, 36, and 37.

It is a secondary to the contained of the contained of the contained in Tables 31, 23, 33, 34, 36, and 37.

Tables 32 and 39, respect and 22, are for the moon's latitude, which depends principally upon her distance of the contained in Tables 31, 23, 23, 24, 36, and 37.

Tables 32 and 39, respect and 22, are for the moon's latitude, which depends principally upon her distance of the spheroidal figure of the contained of the contained of the spheroidal figure of the contained of the contained of the spheroidal figure of the contained of the contained of the contained of the spheroidal figure of the contained of the contained

responding to the next less logarithm (in the proper column of the Table) to the given logarithm, and the

responding to the next less logarithm (in the proper column of the Table) to the given logarithm, and the required minutes will be had.

Table 57, p. 23. Logistical or proportional logarithms to every 5th second for 60 minutes, or one degree or hour. To find the logistical logarithm for any number of minutes and seconds, find the minutes at the top of one of the divisions of the Table, and the seconds in the left hand column, against the seconds and under the minutes in the logarithm required; and thus it may be seen what minutes and seconds belong to a given logarithm; if the exact given logarithm cannot be found, take the nearest to it in the Table. A proportion by logistical logarithms, is solved as by other logarithms; that is, by subtracting the logistical logarithm of the 1st term from the sum of the logistical logarithms; that is, by subtracting the logistical logarithm required. The first term is frequently I degree, or 3500 seconds, whose logistical logarithm is 0; then, the sum of the 2d and 3d terms is the 4th term. If one or more of the terms exceed 60 minutes, divide all the terms by some number that will make the largest term 60 minutes; then take out then logistical logarithms and work the proportion, and multiply the result by the number by which the terms were divided, and the answer or required term will be had. The Table is for only every 5th second, which is near enough in common cases; but if great accuracy is required, the logistical logarithm for any intermediate number of seconds may be found as directed in Table 56; as may also the seconds corresponding to any given logistical logarithm.

number of seconds may be found as directed in Table 30; as may also the seconds corresponding to any given logistical logarithm.

Table 58, p. 23. The visible ECLIPSES in the United States during the remainder of the present century. The figures on the right of the months, are the days, hours and minutes of the middle apparent time of each eclipse at Boston: and the figures on the right of e. and m. show the digits eclipsed: e. stands for evening or atternoon, m. for morning, t. for total, and p. for partial.

Table 59, p. 17. Length of a Degree of Longitude on the earth, at different distances from the Equator.

0	31119888374815248871 31119887378155488732111110087	Julian Years.
8 16 9 113 0 14 11 0 14 11 0 14 11 0 14 11 11 0 14 11 11 11 11 11 11 11 11 11 11 11 11	200 17 8 19 200 17	2 14 11 0 14 0
6 6 87 4 88 6 81 12 13 13 13 14 13 13 14 13 14 13 14 13 14 14 15 15 15 15 15 15 15 15 15 15 15 15 15	7	's anomaly, S.  14 33 10  29 6 19  28 12 39 1 18  28 12 39 1 18  28 15 18 28  26 25 17 56  27 18 58  28 57 56  28 57 56  28 58 75  28 58 58 58  28 58 58  28 58 58 58  28 58 58 58  28 58 58 58  28 58 58 58  28 58 58 58  28 58 58 58  28 58 58 58  28 58 58 58  28 58 58 58  28 58 58 58  28 58 58 58  28 58 58 58  28 58 58 58  28 58 58 58  28 58 58  28 58 58 58  28 58 58 58  28 58 58 58  28 58 58 58  28 58 58 58  28 58 58 58  28 58 58 58  28 58 58 58  28 58 58 58  28 58 58 58  28 58 58 58  28 58 58 58  28 58 58 58  28 58 58 58  28 58 58  28 58 58 58
55 28 44 55 28 56 56 56 56 56 56 56 56 56 56 56 56 56	0 20 20 20 20 20 20 20 20 20 20 20 20 20	's anomaly. S. 12 54 31 0 12 58 21 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
55 55 55 55 55 55 55 55 55 55 55 55 55	54 6 6 8 2 2 5 5 5 7 6 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	fr. D's & S
TABLE 12—Equation of the ment.	1835 25 9 9 16 18 18 25 9 9 18 18 18 18 18 18 18 18 18 18 18 18 18	D. H. M. 25 0 19 5 6 36 14 1 8 8 23 20 40 9 20 88 11 17 25 11 17 25 11 17 25 11 17 25 11 17 25 11 17 25 11 17 2
of the Sun from ment. Sun's N  2 sig.  10 1 46 46 141 51 55 48 1 56 14 47 1 59 2 14 47 1 59 2 3 13 46 2 4 3 53	411 8 4 22 4 22 25 25 25 25 25 25 25 25 25 25 25 25	©'s au S. S. S
Sun's Vanual Automaty's Assertating Node Sun's Vanual Automaty's Assertating Node Sun's Vanual Automaty's 5 significant of the sun's 5 significant of the	20 20 20 20 20 20 20 20 20 20 20 20 20 2	)'s and (5. 7) 10 7 10 6 24 16 11 21 10 26 16 17 16 17 16 17 17 16 17 17 17 17 17 17 17 17 17 17 17 17 17
CHOCOCO I	8 8310 10 20 8 8311 19 3 9 81 10 7 8 8 9 81 0 7 8 8 10 10 7 8 8 10 10 7 8 8 10 10 7 8 8 10 10 7 8 8 10 10 7 8 10 10 8 10 8 10 10 8 10 8 10 10 8 10 8	15 26 S S S S S S S S S S S S S S S S S S
A) gu	177 21 36 36 36 36 36 36 36 36 36 36 36 36 36	

	BLE 5The	annual, or fi	rat Equation, of		(16)		A STATE OF THE STA	
			Sun's mean	of the mean, t n Anomaly.	o the true Syz	ygy. Argument.	TABLE 51.—	Moon's motion
Deg.	0 sig H. M. S.	1 sig. —	2 sig. —	3 sig. —	4 sig. —	. Soig	Moon's mean an- gular motion from the Sun, in Julian	in Days.
0	0 0 0	H. M. S. 2 3 12	H. M. S. 3 35 0	H. M. S.	H. M S	5 sig. — CO H. M. S.	years, months, &c.	1 0 12 11 27 2 0 24 22 53 3 1 6 34 20 4 1 18 45 47 5 2 0 57 13 6 2 13 8 40 7 2 25 20 7 8 3 7 31 33 9 3 19 43 0
2	0 4 18 0 8 35	2 6 55	3 37 10	4 10 53 4 10 57	3 39 30	2 7 45 30	Yrs s 7 "	4 1 18 45 47
3 4	0 12 51	2 I0 36 2 I4 I4	3 39 18 3 41 23	4 10 54	3 35 6	2 3 55 29 2 0 1 28	1 4 9 37 24 2 8 19 14 49 3 0 28 52 14	6 2 13 8 40 7 2 25 20 7 8 3 7 31 33
5	0 17 8 0 21 24	2 17 52 2 21 27	3 43 26	4 10 49 4 10 39	3 32 50	1 56 5 27	4 5 20 41 6	8 3 7 31 33
6	0 25 39 0 28 55	2 25 9 2 23 29	3 45 25 3 47 19	4 10 54 4 10 49 4 10 39 4 10 24 4 10 4 4 9 39	3 28 5	1 48 4 25	Yrs s 7 " 1 4 9 37 24 2 8 19 14 49 3 0 28 52 14 4 5 20 41 6 5 10 0 18 30 6 2 9 55 54 7 6 19 33 19	10 4 1 54 27
8	0 34 11	2 28 29 2 31 57	3 49 7 3 50 50	4 9 39	3 25 35 3 23 0	1 41 1 24 1 39 56 23	8 11 11 22 10	10 4 1 54 27 11 4 14 5 53 12 4 26 17 20
	0 38 26 0 42 39	2 35 22 2 38 44	3 52 29 3 54 4	4 9 10 4 8 37 4 7 59	3 20 20 3 17 35	1 39 56 23 1 35 49 22 1 31 41 21	9 3 20 59 36 10 8 0 37 0 20 4 13 25 26	12 4 26 17 20 13 5 8 28 47 14 5 20 40 13 15 6 2 15 40
1	0 46 52	2 42 3		4 7 59	3 14 49	1 27 31 21 20	1 4 9 37 24 2 8 19 14 49 3 0 23 52 14 4 5 20 0 16 8 0 6 2 9 55 54 7 6 19 33 19 8 11 11 22 10 9 3 20 59 36 10 8 0 37 0 20 4 13 25 25 40 8 26 50 55	15 6 2 15 40 16 6 15 3 7
2	0 51 4 0 55 17	2 45 18	3 55 35 3 57 2 3 58 27	4 7 16 4 6 29	3 11 59	1 23 19 19	60 1 10 16 18	11 4 14 5 53 12 4 26 17 20 13 5 8 28 47 14 5 20 40 13 15 6 2 15 40 16 6 15 3 7 17 6 27 14 33 18 7 9 26 0 19 7 21 37 27 20 8 3 348 32 21 8 16 0 20 22 8 23 11 47 24 9 22 31 40
1	0 59 27	2 45 18 2 48 30 2 51 40 2 54 48 2 57 53 3 0 54	3 58 27 3 59 49	4 5 37	3 9 6 3 6 10	1 19 5 18 1 14 49 17	S0 5 23 41 44 100 10 7 7 10 200 8 14 14 20 200 6 21 21 30 400 4 28 28 40 500 3 5 35 50 1000 6 11 11 40	19 7 21 37 47 20 8 3 48 53
6	1 7 45	2 54 48 2 57 53	4 1 7	4 4 41 4 3 40	3 3 10 3 0 7	1 10 33 16	200 8 14 14 20 300 6 21 21 30 400 4 28 28 40	20 8 3 48 53 21 8 16 0 20
7	1 11 53 1 16 0	3 0 54 3 3 51	4 3 23	4 3 40 4 2 35 4 1 26	2 57 0 2 53 49	1 6 15 15 1 1 56 14	200 8 14 14 20 200 6 21 21 30 400 4 28 28 40 500 3 5 35 50 1000 6 11 11 40	20 8 3 48 53 21 8 16 0 20 22 8 23 11 47 23 9 10 23 13 24 9 22 34 40 25 10 4 46 7 26 10 16 57 33
9	1 20 6 1 24 10	3 6 45	4 4 22	4 0 12	2 50 36	0 57 36 13	2000 0 22 23 20 1	23 9 10 23 13 24 9 22 34 40 25 10 4 46 7 26 10 16 57 33
1	10		4 6 10	3 58 52 3 57 27	2 47 18 2 43 57	0 48 52 11	3000 6 33 35 0 4000 1 14 46 40 5000 7 25 53 20 6000 2 7 10 0	26 10 16 57 33 27 10 29 9 0
2	1 32 12	3 12 24 3 15 9	4 6 58	3 55 59				27 10 29 9 0 28 11 11 20 27 29 11 23 31 53
3	1 36 10 1 40 6	3 17 51	4 7 41 4 8 21 4 8 57	3 54 26 3 52 49	2 37 6 2 33 35	0 0	For Months.	27 10 29 9 0 28 11 11 20 27 29 11 23 31 53 30 0 5 43 20 31 0 17 54 47
5	1 44 1	3 23 5	4 8 57 4 9 29 4 9 55	3 51 9 3 49 26	2 33 35 2 30 2	0 35 36 8 0 31 10 7 0 26 44 6 0 22 17 5	Jan. 0 0 0 0 Feb. 0 17 54 48	
7 8	1 47 54 1 51 46 1 55 37	3 25 36 3 28 3 3 30 26 3 32 45	4 10 16	3 47 38	2 40 33 2 37 6 2 33 35 2 30 2 2 26 26 2 22 47 2 19 5 2 15 20 2 11 35 2 7 45	0 22 17 5 0 17 50 4 0 13 23 3	Mar. 11 29 15 16	Minutes, and in
9	1 59 26 2 3 12		4 10 33 4 10 45	3 45 44 3 43 45 3 41 40 3 39 30	2 19 5 2 15 20	0 8 56 0	June 1 10 48 11 July 1 16 31 22	Seconds.
-1	11 sign			3 41 40 3 39 30	2 11 35 2 7 45	0 4 29 1	Aug. 2 4 26 20 Sep. 2 22 21 8	M ' " "
_	piPin 1	10 sign. +	9 sign. —	8 sign. +	7 sign. +	6 sign. +	Nov. 3 15 50 10	1 0 30 29 2 1 0 57
10	======	000000	44400	0.00	Access Access from the construction			3 1 31 26 4 2 1 54
00	2000	200		042064	0,040004		Moon the deridiar	1 0 30 29 2 1 0 57 3 1 31 26 4 2 1 54 5 2 32 25 6 3 2 52 7 3 33 20 8 4 3 49
	1-2222	232222		000008	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0	TABLE 2 ments. morning Moon on the Meridian.	0 30 29 1 0 57 3 1 31 54 5 2 32 23 6 3 2 52 7 3 33 49 9 4 34 18
_	en la companya de la	226214	+68884	52 55 55 55 55 55 55 55 55 55 55 55 55 5	55 46 45 88	3885550	The or ev	2 1 0 57 3 1 21 54 4 2 2 32 53 5 2 32 53 7 3 3 3 20 9 4 3 4 19 10 5 35 14 10 5 35 15 12 6 36 12
00	222883	38888	+719385	55 56 55	52 5 4 4 8 8 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	30 25 15 0 30 25 15 0	ABLE 20.—Equation ments. The Moon's morning or evening, a Moon Moon Moon 54 55 5	11 5 35 15 12 6 5 43 13 6 36 12 14 7 6 41 15 7 37 9
0#	060266	38225	+7193344	58 58 58 58	36 45 45 56	10 21 21 31	s pa	14 7 6 41 15 7 37 9 16 8 7 38 17 8 38 6
0#	188899	22222	+823248	61 63 55 55	55 55 58	27 27 27 27 27 27 27 27 27 27 27 27 27 2	Hand age	10 9 8 35
4 =	14 14	28882222	+ & 20 32 55 55	57 63 63 57	O CI CI A A A	ω κο κο <b></b>	the time of High Water the sasge over the merit the Moon's Horizontal Parall S Horizontal Parall 5   57   58   59	21 10 40 1
40	0 22 00 00 00 00	28 25 12	+ & 22 88 45 55	58 68 68 68 68 68 68 68 68 68 68 68 68 68		0,01	the Hori	22 11 10 30 23 11 40 59 24 12 11 23
ω	941228	228511	+ 52 34 55	64 67 68 68	200000	388112001	High Water, the meridian Horizontal Parallax,	24 12 11 23 25 12 41 56 26 13 12 25 27 13 42 51
ω	8 13 6 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	21 11 1-	- 288655 - 286655	2827700	200000000000000000000000000000000000000	223	en Par	25 12 41 56 26 13 12 25 27 13 42 51 14 13 22 29 14 43 51 15 14 19 30 15 14 19 30 16 15 17 30 16 45 45 31 17 46 42
BI	E 16.—The	Moon's Horia	Ontol Party	26727288		0 12 18 18	Argueither rallax.	30 15 14 19 31 15 44 48 32 16 15 17
II.	IFIV Motions a	nd Semidiam	eters, to every s	, and the Sun	s and Moon's	3000	The state of the s	32 16 15 17 33 16 45 45 44 17 16 13 5 17 46 42
Hou	un Anomalies i		umils.	*****	Tight to see of			7 17 16 13
_			D **			11 0000	o Ling Tab	0 10 46 42
_	n.   D, H. P.	9 H. M.	D, H. M. 1		D. Anom.	0 0 0 0 0 13 46 0 27 9 0 39 44	O The No.	6 18 17 10
on	n. D, H. P. 0 54 29 54 33	9 H. M.	0 H. M. 0 30 10 15 30 14 15	S. D. D. S.	D. Anom. S. 9	13 46 0 27 9 1 39 44 1 1+ 10		6 18 17 10 7 18 47 39 8 19 18 7 9 19 48 36
on 0 10 20 0	n. D, H. P. 54 29 54 33 54 42 54 56	9 H. M.   2 23 2 23 2 23 2 23 2 24	30 10 15 30 14 15 30 21 15	S. D. D. S. 50 14 50 14 51 14	D. Anom. S. 9 54 12 0 56 11 20	13 46 0 51 27 9 1 1 39 44 1 9 1+ 10+	Moon fr	6 18 17 10 7 18 47 39 8 19 18 7 9 19 48 36
on 10 20 0 10 20	1. D H. P. 1. 54 29 1. 54 33 1. 54 42 1. 54 56 1. 55 14 1. 55 33	9 H. M.   2 23 2 23 2 23 2 23 2 24	0, H. M. 9, 30 10 15 30 14 15 30 21 15 30 34 15 30 51 15	S. D. D. S. 50 14 50 14 51 14 52 14	D. Anom. S. 9 54 12 0 56 11 20 57 11 10 59 11 0	13 46 0 51 9 27 96 1 9 14 39 44 1 9 11 1+ 10+	Moon fr	6 18 17 10 7 18 47 39 8 19 18 7 9 19 48 36
0n 10 20 0 10 20 0	1. D H. P. 1. 54 29 1. 54 33 1. 54 42 1. 54 56 1. 55 14 1. 55 33 1. 55 56	9 H. M	30 10 15 30 14 15 30 21 15 30 34 15 30 34 15 30 51 15 31 14 15 31 40 15	S. D. D. S. 50 14 50 14 51 14 52 14 54 15 56 15	D. Anom. S. 9 54 12 0 56 11 20 57 11 10 59 10 20 9 10 10	13 46 0 51 9 14 1 1 9 1 15 27 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Moon fr	6 18 17 10 7 18 47 39 8 19 18 7 9 19 48 36
0n 10 20 0 10 20 0 10 20 0	n. D. H. P. 1 54 29 54 33 54 42 51 56 55 14 55 33 55 56 56 23 56 54	9 H. M	30 10 15 30 14 15 30 21 15 30 34 15 30 34 15 30 51 15 31 14 15 31 40 15	S. D. D. S. 50 14 51 14 52 14 15 56 15 58 15 0 15	D. Anom. S. 9 54 12 0 556 11 20 57 11 10 59 11 0 3 10 20 9 10 10 17 10 0 25 9 20	13 46 0 51 9 11 15 15 27 9 1 1 4 1 19 3 39 44 1 9 11 1 20 28 1+ 10+ 9+	Moon fr	6 18 17 10 7 18 47 39 8 19 18 7 9 19 48 36
000 100 200 00 100 200 00 100 200 00 100 1	1. D, H. P. 29 54 29 54 33 54 42 54 56 55 14 55 33 55 56 23 56 54 57 30	9 H. M 23 23 23 24 24 2 24 2 25 26 2 27 29 29 29 29 29 29 29 29 29 29 29 29 29	H. M. (9), 300 100 155 155 155 165 165 165 165 165 165 165	S. D. D. S.  50 14 50 14 51 14 52 14 54 15 56 15 58 15 0 15 3 15	D. Anom. S. 6 54 12 0 56 11 20 57 11 10 3 10 20 9 10 10 17 10 0 25 9 20 32 9 10	13 46 0 0 39 44 1 9 11 1 1 2 7 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Moon fr	6 18 17 10 7 18 47 39 8 19 18 7 9 19 48 36
100 100 200 00 100 200 00 100 200 00 100 00 00 00 00 00 00 00 00 00 00	1. D. H. P. 1. 54 23 35 54 42 54 56 55 14 55 56 23 56 54 57 30 58 6 6 54 57 30 58 6 58 37	9 H. M. 23 23 23 24 24 2 24 2 25 2 27 2 2 28 2 2 2 2 2 2 2 2 2 2 2 2 2 2	D, H. M. (9) 300 14 15 300 14 15 300 21 15 300 34 15 300 51 15 81 14 15 81 40 15 82 49 16 83 23 16 44 3 16	S. D D S.  50 14 50 14 51 14 52 14 52 14 55 15 56 15 58 15 0 15 3 15 6 15 9 15	D. Anom.  54 12 0  56 11 20  57 11 10  59 11 0  3 10 20  9 10 10  17 10 0  25 9 20  282 9 10  41 9 0  50 8 20	13 46 0 51 9 11 15 15 27 9 1 1 4 1 19 3 39 44 1 9 11 1 20 28 1+ 10+ 9+	Moon fr	6 18 17 10 7 18 47 39 8 19 18 7 9 19 48 36
100 100 200 0 100 200 0 100 200 0 100 200 0 100 10	1. D. H. P. 1. 54 23 35 54 42 54 56 55 14 55 56 23 56 54 57 30 58 6 6 54 57 30 58 6 58 37	9 H. M. 23 23 23 24 24 2 24 2 25 2 27 2 2 28 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0, H. M. 0 30 10 15 30 14 15 30 21 15 30 34 15 30 51 14 15 31 14 15 32 10 16 32 49 16 33 23 16 44 42 16 55 22 16	S. D. D. S. 50 14 51 14 52 14 55 15 56 15 56 15 58 15 0 15 12 16 15 12 16 14 16	D. Anom. " S. ° 54 12 0 554 11 20 557 11 10 59 11 0 3 10 20 17 10 0 282 9 10 11 9 0 282 9 10 11 9 0 8 20 0 8 10	13 46 0 0 39 44 1 9 11 1 20 28 1 27 5 1 1 4 1 119 31 1 1 1 1 20 28 1 1 1 1 2 1 2 1 1 1 2 1 2 1 1 1 2 1 2	31.—24 Equation of the Moon's Argument 24. The remninde Moon's mean Argument 5 from the Sun.	6 18 17 10 7 18 47 39 8 19 18 7 9 19 48 36
100 100 200 0 100 200 0 100 200 0 100 200 0 100 200 0 0 100 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1. D. H. P. 1. 54 23 35 54 42 54 56 55 14 55 56 23 56 54 57 30 58 6 6 54 57 30 58 6 58 37	9 H. M. 23 23 23 24 24 2 24 2 25 2 27 2 2 28 2 2 2 2 2 2 2 2 2 2 2 2 2 2	30 10 10 15 15 15 16 16 16 16 16 16 16 16 16 16 16 16 16	S. D. D. S. 50 14 50 14 51 14 52 14 55 15 6 15 6 15 7 15 12 16 14 16 17 16 17 16	D. Anom. "S. 20 54 12 0 56 11 20 57 11 10 59 11 0 3 10 20 17 10 0 25 9 20 32 9 10 41 9 0 50 8 20 9 8 10	13 46 0 6 1 30 41 1 51 1 1 20 28 1 1 0 27 51 1 4 1 19 3 1 16 27 1 1 20 28 1 1 10 10 10 52 1 1 10 10 10 52 1 1 10 10 10 52 1 1 10 10 10 52 1 1 10 10 10 52 1 1 10 10 10 52 1 1 10 10 10 52 1 1 10 10 10 10 10 10 10 10 10 10 10 10	31.—24 Equation of the Moon's Argument 24. The remninde Moon's mean Argument 5 from the Sun.	6 18 17 10 7 18 47 39 8 19 18 7 9 19 48 36
100 100 200 0 100 200 0 100 200 0 100 200 0 100 200 0 100 200 0 100 200 0 100 0 0 0 0	1. D. H. P. 1. 1. 29 54 29 55 54 42 55 54 55 56 56 56 56 57 58 6 58 6 59 59 59 59 59 59 59 59 59 59 59 59 59	9 H. M. " 22 23 24 24 24 25 26 28 29 30 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	0 H. M. 0 7 8 10 10 10 10 10 10 10 10 10 10 10 10 10	S. D. D. S. 50 14 51 14 52 14 54 15 56 15 58 15 60 15 3 15 6 15 9 15 12 16 17 16 1 17 16 1 17 16 1 17 16 1 17 16 1 17 16 1 18 16 2 21 16 3	D. Anom. " S. e 54 12 0 556 11 20 0 557 11 10 59 11 0 0 25 9 20 88 20 0 8 10 9 8 0 7 7 7 20 7 7 10 1 7 0	13 46 0 61 9 11 5 11 12 25 25 1 1 10 12 0 25 1 1 2 13 0 1	8. 프로마 아무슨 보는 모든	6 18 17 10 7 18 47 39 8 19 18 7 9 19 48 36
100 100 200 00 100 200 00 100 200 00 100 200 00 100 200 00 100 200 00 00 00 00 00 00 00 00 00 00 00	1. D. H. P. 1. 1. 29 1. 54 29 1. 54 42 1. 55 4 42 1. 55 55 56 56 23 55 56 54 57 30 6 58 6 58 6 59 59 50 59 50 50 11 60 27 60 38	9 H. M. " 2 23 23 24 24 22 24 24 22 25 30 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	0 H. M. 0 1, 300 100 14 15 300 14 15 300 21 15 300 21 15 31 14 15 300 34 15 31 14 15 32 49 16 16 16 16 16 16 16 16 16 16 16 17 16 16 16 16 16 16 16 16 16 16 16 16 16	S. D. D. S. 14 50 14 51 14 52 14 54 15 56 15 56 15 58 15 0 15 6 15 6 15 14 16 14 16 14 16 17 16 12	D. Anom. S. e 54 12 0 556 11 20 57 11 10 8 10 20 9 10 10 17 10 0 25 9 20 83 20 9 10 10 10 11 9 0 10 10 11 9 0 10 10 11 9 0 10 10 11 9 0 10 10 11 9 0	13 46 0 6 1 30 41 1 51 1 1 20 28 1 1 0 27 51 1 4 1 19 3 1 16 27 1 1 20 28 1 1 10 10 10 52 1 1 10 10 10 52 1 1 10 10 10 52 1 1 10 10 10 52 1 1 10 10 10 52 1 1 10 10 10 52 1 1 10 10 10 52 1 1 10 10 10 10 10 10 10 10 10 10 10 10	84.—21 beparting of the Moon's Longitu Argument 24. The reminder found Moon's mean Anomaly from the dou from the Sun.  - 1 2 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 -	6 18 17 10 39 17 18 17 18 17 18 17 18 17 18 18 18 18 18 18 18 18 18 18 18 18 18

TABLE 42.—Correction, to be used in finding the Right Ascension of a heavenly body.

Arguments. Lengitude and Latitude of the body. TABLE 6.—Equation of the Moon's Mean Anomaly. Argument. Sun's Mean Anomaly. 0 si. - 1 si. - 2 si. - 3 si. - 4 si. - 5 si. -Lon. - 0 signs with N. Lat. or - 6 signs with S. Lat. |6º Lat. |5º Lat. |4º Lat. |3º Lat. |2º Lat. |1º Lat. | 0 2 23 49 1 59 44 1 35 43 1 11 45 47 49 23 54 30 10 2 23 17 1 59 9 1 35 8 1 11 14 47 25 23 40 20 20 2 19 34 1 55 56 1 32 29 1 8 9 45 59 22 56 10 20 2 19 34 1 55 56 1 32 29 1 8 9 45 59 22 56 30 2 12 21 1 49 49 1 27 29 1 5 21 43 24 21 37 Lon. +5 signs with N. Lat. or + 11 signs with S. Lat. Lon. +0 signs with S. Lat. or +6 signs with N. Lat. 11º Lat. 12º Lat. 13º Lat. 14º Lat. 15º Lat. 15º Lat. 0 / 11 0 / 11 0 / 1 0 23 54 47 49 0 11 45 1 35 43 1 59 44 2 23 49 30 10 23 37 47 12 1 10 45 1 34 18 1 57 60 2 21 23 20 22 50 45 34 1 8 14 1 30 50 1 53 23 2 15 54 10 30 21 23 42 50 1 4 31 25 11 4 6 13 2 7 10 0 Lon. -5 signs with S. Lat. or -11 signs with N.Lat. Lon. - 1 sign with N. Lat. or -7 signs with S. Let. 16º Lat. 15º Lat. 14º Lat. 13º Lat. 12º Lat. 10 Lat. 70 0 12 12 11 49 49 1 27 29 1 5 2 1 43 24 21 37 10 2 1 7 11 40 23 1 10 5 3 0 5 3 6 39 33 19 41 20 1 45 23 1 27 15 1 9 21 0 5 1 41 31 6 17 2 7 2 1 13 39 1 25 1 11 10 11 1 5 5 44 0 41 30 27 29 1 3 39 20 0 31 57 1 11 54 1 33 17 1 29 54 1 2 1 0 16 48 10 17 2 10 13 39 0 21 0 33 29 1 12 58 1 33 36 1 29 20 1 0 45 0 15 8 9 22 0 35 2 1 14 1 1 33 52 1 28 45 0 59 26 0 13 23 8 23 0 36 32 1 15 1 1 34 6 1 28 9 0 58 7 0 11 48 7 Lon. +4 signs with N.Lat. or +10 signs with S.Lat. 24 0 38 1 1 16 0 1 34 18 1 27 30 0 55 4 5 0 10 7 25 0 39 29 1 16 59 1 34 30 1 26 50 0 55 23 0 8 20 Lon +1 sign with S. Lat. or +7 signs with N. Lat. 1º Lat. 2º Lat. 3º Lat. 4º Lat. 5º Lat. 6º Lat. 25 | 0 89 29 | 1 16 59 | 1 64 30 | 1 26 50 | 0 55 23 | 0 8 20 | 0 50 50 50 | 0 10 40 50 | 1 17 57 | 1 24 40 | 1 26 27 | 0 54 | 1 0 6 44 | 27 | 0 42 26 | 1 18 52 | 1 34 48 | 1 25 5 | 0 52 37 | 0 5 3 | 1 25 | 0 43 354 | 1 20 40 | 1 34 154 | 1 24 39 | 0 51 12 | 0 3 21 | 29 | 0 45 1 19 | 1 20 40 | 1 34 158 | 1 25 52 | 0 49 45 | 0 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 40 | 1 4 C | " | " | " | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1" | 0 | 1 30 0 46 45 1 21 32 1 35 1 1 23 4 0 48 19 0 0 0 0 Lon. - 4 signs with S.Lat. or - 10 signs with N.Lat. 11 si.+ 10 si.+ 9 si. + 8 si. + 7 si. + 6 si. + Lon. - 2 signs with N. Lat. or - 8 signs with S. Lat. TABLE 7.—Second Equation of the Mean to the true Syzygy.

Argument. I's equated Anomaly. 16° Lat. 15° Lat. 14° Lat 13° Lat. 12° Lat. 10 Lat. 0 si. + 1 si. + 2 si. + 3 si. + 4 si. + si. 5 + 1 M. S. H.M. S. H.M. S. H.M. S. H.M. S. 
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
  $\begin{array}{c} 0 & \text{Si.} + 1 & \text{Si.} \\ 0 & 0 & 0 & 0 & 15 & 12 & 48 & 8 & 47 & 89 & 46 & 44 & 8 & 8 & 59 & 4 & 34 & 33 & 33 \\ 1 & 0 & 10 & 55 & 52 & 156 & 85 & 145 & 94 & 53 & 8 & 3 & 12 & 42 & 91 & 129 \\ 2 & 0 & 21 & 56 & 5 & 20 & 56 & 85 & 145 & 94 & 53 & 8 & 3 & 12 & 42 & 91 & 129 \\ 2 & 0 & 21 & 56 & 5 & 30 & 57 & 8 & 56 & 10 & 945 & 12 & 7 & 7 & 23 & 4 & 17 & 25 & 28 \\ 3 & 0 & 32 & 54 & 15 & 39 & 51 & 9 & 0.25 & 94 & 11 & 7 & 51 & 34 & 84 & 77 & 27 \\ 4 & 0 & 43 & 52 & 5 & 48 & 87 & 9 & 4 & 31 & 94 & 25 & 97 & 45 & 46 & 4 & 0 & 7 & 25 \\ 5 & 0 & 54 & 50 & 15 & 57 & 17 & 9 & 82 & 59 & 41 & 37 & 33 & 36 & 31 & 23 & 22 & 17 \\ 7 & 1 & 16 & 46 & 14 & 19 & 91 & 25 & 94 & 30 & 7 & 33 & 36 & 34 & 23 & 22 & 17 \\ 7 & 1 & 16 & 46 & 16 & 14 & 19 & 15 & 45 & 93 & 19 & 7 & 37 & 22 & 33 & 38 & 32 & 24 \\ 8 & 1 & 27 & 44 & 16 & 22 & 41 & 91 & 91 & 69 & 36 & 24 & 7 & 21 & 2 & 3 & 24 & 42 & 22 \\ 9 & 1 & 33 & 61 & 63 & 30 & 7 & 92 & 21 & 49 & 34 & 18 & 7 & 14 & 30 & 15 & 44 & 21 \\ 10 & 1 & 49 & 33 & 6 & 30 & 4 & 9 & 25 & 12 & 9 & 33 & 7 & 1 & 2 & 25 & 7 & 43 & 19 \\ 12 & 21 & 11 & 0 & 65 & 446 & 9 & 30 & 22 & 92 & 64 & 64 & 54 & 8 & 28 & 33 & 18 \\ 13 & 2 & 21 & 54 & 7 & 22 & 49 & 93 & 258 & 924 & 4 & 647 & 9 & 23 & 93 & 17 \\ 14 & 2 & 32 & 34 & 7 & 95 & 23 & 52 & 92 & 44 & 647 & 9 & 23 & 33 & 17 \\ 14 & 2 & 32 & 34 & 7 & 95 & 35 & 12 & 92 & 13 & 64 & 66 & 23 & 22 & 32 & 28 & 16 \\ 15 & 2 & 63 & 38 & 7 & 94 & 19 & 39 & 89 & 81 & 48 & 86 & 25 & 60 & 21 & 19 & 15 \\ 15 & 2 & 243 & 37 & 74 & 19 & 93 & 89 & 81 & 44 & 84 & 82 & 22 & 23 & 18 \\ 17 & 3 & 4 & 37 & 31 & 18 & 94 & 615 & 10 & 64 & 61 & 18 & 2 & 25 & 31 & 31 \\ 21 & 34 & 47 & 14 & 51 & 94 & 44 & 53 & 85 & 60 & 5 & 47 & 54 & 1 & 25 & 31 & 9 \\ 21 & 34 & 51 & 17 & 75 & 45 & 94 & 52 & 85 & 50 & 5 & 47 & 54 & 1 & 25 & 31 & 9 \\ 21 & 34 & 51 & 17 & 75 & 45 & 94 & 52 & 85 & 50 & 5 & 47 & 54 & 1 & 25 & 31 & 9 \\ 21 & 34 & 51 & 17 & 75 & 45 & 94 & 45 & 85 & 50 & 5 & 47 & 54 & 1 & 25 & 31 & 9 \\ 21 & 34 & 51 & 17 & 75 & 45 & 94 & 45 & 85 & 50 & 5 &$ 13 39 30 9 34 20 4 55 10 Lon. +3 signs with N.Lat. or +9 signs with S.Lat. +2 signs with S.Lat. or + 8 signs with N.Lat. [1º Lat. 2º Lat. 3º Lat. 4º Lat. 5º Lat. 6º Lat. 26 48 29 58 53 0 1 5 54 1 18 41 29 18 45 27 57 37 3 0 46 20 54 56 20 9 40 14 24 19 5 0 23 42 0 28 16 10 0 0 0 0 0 0 0 0 0 0 0 0 13 20 9 26 4 52 0 0 Lon. -3 signs with S. Lat. or -9 signs with N. Lat-Eng. 7 miles 7 miles 0 69.50 46 48.28 21 3 45 11 7 57 45 9 45 52 8 54 50 5 47 54 1 25 31 22 3 55 21 8 3 56 9 46 38 8 50 24 5 40 4 1 16 7 23 4 5 26 8 9 57 9 47 13 8 45 48 5 32 9 1 6 41 9 69.46 48 46.50 4 69.33 50 44.67 6 69.12 52 42.79 8 68.82 54 40.85 23 4 5 26 8 9 57 9 47 13 8 45 48 5 32 9 1 6 41 21 4 15 26 8 15 46 9 47 36 8 41 2 5 24 9 1 0 57 13 25 4 25 20 8 21 24 9 47 36 8 41 2 5 24 9 9 0 57 13 25 4 25 20 8 21 24 9 47 49 8 36 6 5 16 5 0 47 44 26 4 35 6 8 26 53 9 47 54 8 31 0 5 7 56 0 38 14 25 44 4 59 42 0 28 41 28 4 54 11 8 37 19 9 47 46 8 25 44 4 59 42 0 28 41 28 4 54 11 8 37 19 9 47 36 8 25 44 4 59 42 0 28 41 28 4 54 11 8 37 19 9 47 36 8 25 44 4 59 42 0 28 41 28 4 54 11 8 37 19 9 47 33 8 20 18 4 51 15 0 19 8 30 5 12 48 8 47 8 9 46 44 8 8 59 4 34 33 0 0 0 0 0 11 si. — 9 si. — 9 si. — 8 si. — 7 si. — 6 si. — 0 10 10 10 10 10 10 10 68.44 56 38 86 0 10 10 10 10 10 10 10 67.95 58 30.83 67.44 60 34.75 68.81 62 32.63 66.10 64 30.47 31 5 28 5 28 5 28 29 38 38 44 29 55 45 55 45 55 45 55 37 55 37 55 37 55 37 55 37 TAB.37.—5th Equa. Moon's Lon. Reduction. Arg. 5th. Moon's dis. from her A. Node. Most of the numbers in the columns of Miles in Table 59, were estimated, instead of being calculated by rule; they, there-fore, may not all be strictly ac-curate. To make such a Table 32 56.43 78 14.45 34 57.62 80 12.07 36 56.23 82 9.67 38 54.77 84 7.26 BLE 14 of the Exemple 19 Motion 27 | 27 | 5 47 | 5 45 | 5 42 | 5 48 | 5 48 | 5 88 | 5 85 | 5 85 | 5 85 | 5 85 | 5 85 | 5 85 | 1,7- | 2,8-0 0 2 19 4 22 5 53 5 53 6 41 6 41 5 53 5 53 30 4 22 20 2 19 10 0 0 0 currate. To make such a Table perfectly correct, say by Trigonometry, as Radius is to ther, so is the Co-Sine of the given Latitude reduced by Table 41, page 18, to the length of a degree on the Equation of a degree in that Latitude.

5, 11+4,10+ 3, 9+

TABLE 10.—The Sun's mean Longitude and Anomaly at the organism of current years. Also the Sun's mean motion in Longitude and Anomaly, in Julian Years, Monthes in Days; and in Hours, Minutes, and Minutes, and Seconds; the mean distance the Sun and Moon's Assenting Node move from each other in Hours, Minutes, and Seconds, this being used in calculating eclipses. TAB. 41 At the beginning of current years.

Cur. Longitude, S. Anomaly.

1800 9 9 40 21 5 29 50 3

1820 9 9 92 22 5 29 50 3

1820 9 9 10 3 32 6 29 50 3

1820 9 9 10 3 32 6 29 50 13

1830 9 9 40 21 5 29 36 14

1834 9 9 40 21 5 29 36 14

1835 9 9 40 21 5 29 36 14

1836 9 10 10 5 16 0 0 4 38

1837 9 9 56 31 5 29 49 17; It

1838 9 9 42 11 5 29 38 55

1839 9 9 21 11 5 29 38 55

1839 9 9 21 11 5 29 27 0

1850 9 10 27 52 5 29 18 33

1840 9 10 12 41 6 0 2 20

1850 9 10 27 50 50 91 8 33

1840 9 10 12 50 5 29 50 49

1850 9 10 21 50 5 29 50 49

1850 9 9 56 51 5 29 30 57

1850 9 10 31 05 29 50 49

1850 9 10 31 05 29 30 57

1850 9 10 31 05 29 30 57

1850 9 10 31 05 29 30 57

1850 9 10 31 05 29 30 57

1850 9 10 31 05 29 30 57

1850 9 10 31 05 29 30 55

Mean motion in Julian Years. The Sun's mean motion in Longitude and Longitude and Anomaly, and the mean distance the Sun and Moon's Assemble 11 of the beginning of either mouth. In gray Node move from each other, in Hours, Minutes, and Seconds.

Month | Longitude Reduction of Lat. Latitude Longitude. Anomaly, S. o , , S. o , , 0 0 0 0 0 0 0 0 0 11 29 0 52 11 29 0 52 | Motion | Sun from | Jan. { Com. | Leap. | Moon's | Kan. | Com. | As. Node | Morel | March | May | Ma 12 18 24 30 36 42 48 51 60 66 72 78 81 August 23 September 59 October November 11 December Mean motion in Julian Years. TABLE 17—Reduction of the Ecliptic to the Equator, or the difference between the Ecliptic Longitude and Sight Attended Argument. Sun's Longitude of the Longitude of the points of the Ecliptic This Table changed into time, is that part of the equation of time that depends on the obliquity of the ecliptic to the equation. The other part of the equation for the equation of the many control of the equation of the sun's centre, or the difference leave of the sun's centre or the difference leave or the di 2 11 2 3 1 53 1 42 1 30 1 17 0 0 14 52 29 36 44 2 58 3 11 30 24 14 36 9 47 7 57 0 5 42 0 6 9 12 15 18 21 24 27 30 22222222222 5 13 19 23 26 28 28 26 22 17 42 7 9 44 47 16 7 20 55 52 15 15 5 29 31 20 3 49 48 12 30 27 24 21 18 15 12 9 6 -3 0 2 47 32 16 0 1 2 0 12 |5+11+|4+10+|3+9+TABLE 30.—The Moon's mean Longitude and Anomaly, and the mean Longitude of the Moon's Ascending Node, at the beginning of Longitude. | Anomaly. | Lon. & In Days, the same in Lon. as Anom 44 1 45 1 46 1 47 1 48 1 50 2 51 2 52 2 53 2 55 2 56 2 57 2 58 2 59 2 9. S. o ' " D. 8. 0 1 11 0 15 22 17 44 30 18 43 38 19 42 45 20 41 55 21 41 3 22 40 12 23 39 20 24 38 28 25 37 35 27 35 53 28 35 2 30 31 18 59 58 57 56 55 54 53 53 52 51 50 49 48 47 47 8 17 25 33 42 50 58 7 15 23 32 40 48 57 5 17 18 19 20 2 21 22 23 12 15 17 20 22 25 28 30 33 8 2 36 2 4 2 32 2 59 2 27 2 55 2 23 2 24 25 26 27 28 29 30 31 13 12 13 0 36 12 47 14 15 14 16 15 60 2 51 2 COLT CONS STILL SEPT. SOUBSIG TABLE 24.—Dip, or Depression of the Sea, or of the level surface of the earth, at different distances in Sea miles from the Observer, and ardifferent heights of the eye above the horizon. TABLE 35.—3d Equa. Moon's Lon. Equa. Moon's Centre-Arg. 3d. Moon's cor. anomaly. 10 - 1044000000000000 2-0 0 0 0 30 52 1 1 33 1 31 51 2 1 34 2 30 31 2 58 30 3 20 56 30 2 50 21 25 2 18 13 20 1 44 48 15 1 10 25 10 0 35 22 5 0 ' 5 3 5 2 5 2 5 2 2 58 3 25 3 50 4 14 4 37 4 57 5 16 32 43 46 48 6 16 24 5 2 48 2 6 11 2 4 4 0 50 1 6 3 2 4 16 24 1 5 52 34 3 49 42 0 3 5 38 46 3 20 56 0 667786555555 6 17 0 10+ 9+ 8- 7+

TABLE 21.—Time to be added to the Moon's Southing to find the time of High Water at any place in the table : ise of the water in feet; and the Latitude and Longitude of the place from Gree nwich Observatory

Names Places.

Names Places.
Abbeville, France.
Aberdeen, Scotland
Air, Scotland.
Albany, N. Y.
Amboy, N. J.
Babelmandel Str.
Balgages, Bishelmander Bekundande Str.
Bekundande Str.
Bekundande Str.
Balvore, Hindostan
Balvore, Hindostan
Balvore, Hindostan
Balvore, Balvore,
Balvore, Beliast, Irelanda
Bergen, Norway
Blue Hill Bay, Me.
Boston, Mass.
Boston, Mass.
Cape Hong.
Calais, France.
Calcutta, Bengal.
Cape Hong.
Cape Good Hope.
Cape Hong.
Cape Good Hope.
Cape Hong.
Cape Hon Macao, China Martha's Vineyard Martha's Vineyard Nantucket Newburpport, Mass. New Haven, Ct.
New Haven, Ct.
New Yarden, Mass.
New Yarden,

TABLE 31.—Annual Equation or Correction of the Moon's Mean Anomaly. Argument.
The Sun's Mean Anomaly.

2+ 3+

18 33 21 42 20 13 21 27 21 16 20 34 21 42 19 1

9-8-7-

0+ 1+1

11\_ 10-

TABLE 47.—The Lunar Cycle or Golden Number for Old and New Style, for 3500 years after Christ.

Old years, or years less than a Hundred.

TABLE 22.—St

TABLE 19.—Longitude on the earth changed into time, or time into longitude.

PABLE 4.—The nun ber of Days from the beginning of Marc to the beginning of each of the other months.

Deg	0 s 6 s	1.7	1 5 7 8		2 s. 8 s.	Degs	
.87	M.	S.	M.	S.	M.	S.	00
0	0	0	2	22 42	4	12 27	30
	0	25 50	2	2	4	38	25 20
10	1	15	2233333	22	4	48	15
15 20	1	40	3	42	1 4	54	10
25	2 2	. 0	3	57	4	57	5
30	2	22	4	12	4	58	
	5 8	i	148	i	38		Deg. o
Deg.	11 5	i. +	108	i. +	98	. +	IĂ

0
31
61
92
122
153
214
er 245
er 275
306
7 337
er

TABLE 18.—Equation of Time; or the difference between the Sun and Clock, for every sign and degree of the Sun's Longitude, and for the days of the year. M, at the head of the table, stands for March; A for April; M for May; J for June; J for July, &c. d stands for days; m for minutes; and a for seconds. —shows that the equation is to be added to the time and the degree in the left column. The Table begins with the 20th day of March, when the Sun's Longitude is 0. by the clock to find the time by the San; and — subtracted. The signs of the San's Longitude are at the head of the table, and the degrees in the left column. The Table begins with the 20th day of March, when the San's Longitude is 0.

| July | Ju TABLE 25.—The Sun's Semidiarnal, or Seminocturnal are. Arguments. The Sun's Declaration in degrees, at the head of the table, and the Lattinde of the place in the left coloum. N. B. If the Declaration and Lattinde are of the same name, that is, both north, or both south, it is the Semidiarnal arc; otherwise, the Semi-nocturnal arc.

The Semidiarnal arc is the time of the Sun's atting; the Seminocturnal arc is the time of the Sun's atting; the Seminocturnal arc is the time of the Sun's atting; the Seminocturnal arc is the time of the Sun's Declaration in degrees, at the head of the Sun's Declaration in degrees, at the head of the Sun's Declaration in degrees, at the head of the Sun's Declaration in degrees, at the head of the Sun's Declaration in degrees, at the head of the Sun's Declaration in degrees, at the head of the sun's Declaration in degrees, at the head of the Sun's Declaration in degrees, at the head of the Sun's Declaration in degrees, at the head of the Sun's Declaration in degrees, at the head of the Sun's Declaration in degrees, at the head of the Sun's Declaration and Lattinde are of the sum name; the sun's Declaration and Lattinde are of the Sun's Declaration and Lattinde 22 25 25 35 35 44 7 51 56 0 5 10 15 12 27 35 15 15 m her As-30 10 47 20 08

10 10 20 20 20 20 20 20

TABI NO 100 100 300 44	TABLE 29.—The Moon's mean motion in Longitude and Anomaly; and the mean motion of the Moon's Node, in Julian Years; in Months; in Days; and in Hours, Minutes, and Seconds
Node. Node.	Anomaly. Node. Motion in Hours, Minutes, and Seconds.
_1 2	1 4 9 23 5 2 28 43 19 0 19 19 43 Long. Anom. Node.
26680	3 0 28 9 15 8 26 9 57 1 27 59 10 M
N = 4 10	5 10 0 6 0 3 6 40 30 3 6 41 47 1 0 32 56 0 32 590 8 6 2 9 29 4 6 5 23 49 3 26 1 31 2 1 5 53 1 5 20 0 16
Equation Sun's me 3+ 3 6 8 43	8 11 11 25 50 0 15 54 21 5 4 44 8 4 2 11 46 2 10 39 0 32 0 48 55 3 14 37 40 5 24 3 51 5 2 44 42 2 43 18 0 40
7 4618, 4 20	10 8 0 12 0 6 13 20 59 6 13 23 34 6 3 17 39 3 15 59 0 45 50 0 26 50 19 7 3 50 35 3 48 38 0 56 50 19 7 3 50 35 3 48 38 0 56
The mom	40 8 27 9 8 2 19 31 44 1 23 90 38 8 4 23 32 4 21 161 4 60 1 10 43 43 3 29 17 36 2 20 30 58 9 4 56 28 4 53 581 12
Moon's ally.	100 10 7 52 50 6 18 49 20 4 14 11 36 11 6 2 21 5 59 17 I 27 8 15 45 40 1 7 38 40 8 28 23 12 12 6 35 18 6 31 57 1 35
	300 6 23 38 30 7 26 28 0 1 12 34 48 13 7 8 14 7 4 371 40 400 5 1 31 20 2 14 57 20 5 26 46 24 14 7 41 10 7 37 16 1 51
30 200 o   H	1 1000 6 18 48 20 6 8 13 20 8 21 56 0 16 8 47 3 8 42 36 2 7 8 1000 1 7 36 40 0 16 26 40 5 13 52 0 17 9 20 0 9 15 16 2 15
ABLE 33.—1st Argument. 0+ 1+ 0	3000 7 26 25 0 6 24 40 0 2 5 48 0 13 9 52 56 9 47 55 2 23 6000 3 22 59 0 1 1 19 20 0 4 11 36 0 19 10 25 53 10 20 35 2 31
33.1 1+ 1933 7933 823 10-	Months. In Lon. Anomaly. Node. 20 10 68 49 10 53 15 2 39 21 11 31 4611 25 55 2 47 6 10 6 10 10 10 10 10 10 10 10 10 10 10 10 10
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Jan. Leap. 11 16 49 25 11 16 56 6 11 29 56 49 23 12 37 39 12 31 14 3 3
95588 * T ms	Feb. { Leap. 1 5 17 31 1 1 56 59 0 1 35 19 25 13 43 32 13 36 34 3 19 25 13 45 32 14 9 13 3 26
on Mc mean 3+ 3+ 3+ 110 34 9 47	April. 3 13 32 33 4 7 47 56 0 6 21 17 28 15 22 21 15 14 33 3 42 May. 4 21 10 3 4 7 47 56 0 6 21 17 28 15 22 21 15 14 33 3 50
Moon's Longitude ean Anomaly.  + 4+ 5+	July. 6 9 38 9 5 22 45 45 0 9 35 6 30 16 28 14 16 19 52 3 58 July. 7 14 55 40 6 24 45 45 0 9 35 6 30 16 28 14 16 19 52 3 58 2 2 4 6 4 1 0 11 13 35 31 17 1 10 16 52 32 4 6
ongiu	September. 10 21 51 52 9 24 47 34 0 12 52 5 32 17 34 717 25 134 14 October. 11 27 9 23 10 26 44 34 0 14 27 24 33 18 7 3 17 58 0 4 22 0 14 27 24 33 18 7 3 17 58 0 4 22 0 14 27 24 35 18 7 3 17 58 0 4 22 0 14 27 24 35 18 7 3 17 58 0 4 22 0 18 28 18 30 31 4 38 30 31 4 38 30 31 4
4230 5910 0	November. 1 15 37 29 0 11 45 25 0 16 5 34 35 13 13 45 25 19 3 12 4 37 December. 2 20 54 59 1 13 42 25 0 17 41 13 35 19 12 55 19 3 12 4 37 December. 2 20 54 59 1 13 42 25 0 17 41 13 36 19 45 53 19 35 50 4 45
200 0 200 0	S. 0 ' S. 0 ' " 0 ' " 38 20 51 47 20 41 10 5 1
9 . 028888 1	5 5 5 5 6 1 0 13 10 35 0 13 3 54 0 3 11 39 21 24 41 21 13 43 5 16
1665566	S 4 1 22 42 20 1 22 15 36 0 12 43 42 23 3 30 22 51 48 5 52
1 64 58 - 9 1 +	### 15   2   5   52   55   25   19   30   0   15   38   32   32   32   33   33   34   34   34
9 2556	2 0 96 21 10 0 26 7 480 6 22 10 12 3 3 36 22 10 12 15 52 1 14 20 9 32 14 12 2 3 3 36 22 10 12 15 52 14 12 2 3 14 12 2 3 14 12 12 14 14 14 14 14 14 14 14 14 14 14 14 14
\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Here and the result of the res
7 288888 4	13 5 21 17 35 5 19 50 41 0 11 10 11 20 12 18 30 6 51
6 01 2 2 2 2 . 5	
1328655° 0	18 7 27 10 30 7 25 10 11 0 57 11 56 30 44 42 30 29 67 22 19 8 10 21 5 8 8 14 51 0 22 57 31 17 36 31 1 48 7 30 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
ABLE 27Change of	20 8 23 31 41 8 21 17 591 3 33 56 31 50 36 51 34 24 7 88 8 1 19 6 42 16 9 4 41 531 6 43 59 32 3 30 32 7 6 7 6 7 46 8 8 10 18 18 22 9 19 52 51 9 17 25 47 1 9 54 66 32 56 39 52 39 48 7 58 8 18 18 18 18 18 18 18 18 18 18 18 18
from 0 h. to 12 hours.	Arguments. 23 10 3 3 26 10 0 29 41 1 13 5 TABLE 9.—Fourth Equation
daily retardation in passin dian at the head of the tab time in the left column.	g the meri- e; and the 26 11 12 35 11 11 9 41 231 12 37 1 distance from the Moon's As-
53 54 55 56 57 58 51	E 27 11 25 45 40 11 25 45 11 20 FO B
H 38 41 44 47 50 53 56	59 62 65 30 1 1 8 98 6 1 15 0 53 1 38 30 M. S. M. S. M. S.
$egin{pmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 1 & 2 & 2 & 2 & 2 & 2 & 2 & 2 \end{bmatrix}$	
2 3 3 4 4 4 4 3 3 5 5 5 6 6 7	7 8 8 5 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
4 6 7 7 7 8 8 5 5 8 9 9 10 10 11 15 6 9 10 11 12 12 13 14	12 13 14 56 20 67 20 66 20 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
7 11 12 13 14 15 15 16 8 13 14 15 16 17 18 19	17 18 19 20 21 22 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
9 14 15 16 18 19 20 21 0 16 17 18 20 21 22 23	25 26 27 wanted for use, or in numerical order as they are explained; but with a vice
1 17 18 20 22 23 24 26 2 19 20 22 23 25 26 28	29 31 32 Thus, Table 12 follows Table 3, and Table 14 follows Table 42, &c.

11 17 18 20 22 23 24 12 19 20 22 23 25 26

7		20			-	-			1	22)	-		No. of the second
1	-	0	04120	2	3	4	5	6		22)=	9		TABLE 39.—For the Moon's Latitude. Arg. 2d of Latitude.
	2	00000 30103 47712	04139 32222 49136	07918 34242	11394 36173	14613 38021	17609 39794	20412 41497	23045 43136	25527 44716	27875 46240	1 2	Latitude. Arg. 2d of Latitude. Double dis. of Moon in her orb. from Sun.—1st Arg. of Latitude.
ı	4	60206 69897	61278	50515 62325	51851 63347	53148 64345	54407 65321 74036	55630 66276	56820 67210	57978 68124	59106 69020	2 3 4	0+6-1+7-12+8-1
ı	6	77815 84510	70757 78533	71600 79239	72428 79934	73239 80618	81291	74819 81954	75587 82607	76343 83251	77085	5	0 / 11 / 11 / 11 9
H	8 8	90309	85126 90849 95904	85733 91381	86332 91908	86923 92428	87506 92942	88081 93450	88649 93952	89209 94448	89768	8	0 0 0 4 24 7 38 30 10 1 32 5 40 8 16 20
H	10 (	00000	00432 04532	96379 00360	96848 01284	97313 01703	97772 02119	95227 02531	98677 02933	99123 03342		9	20 3 1 6 45 8 40 10 30 4 24 7 38 8 48 0
	12 (	7918	09279 11727	04922 08636	05308 08991 12385	05690 09342	06070 09691	06446 10037	06819 10380	07188 10721	07555 I 11059 I	1	5+11- 4+10- 3+ 9-
	14 1	14613	14922	12057 15229 18184	15534	12710 15336	13033 16137	13354 16435	13672 16732	13988 17026	14302 L	3 5	3 11 1 1 10   3   5
	16 2	20112	20683	20951 23553	18469 21219 23805	18752 21484 24055	19033 21748	19312 22011	19590 22272 24797	19866 22531	20140 1. 22789 1		TABLE 13.—The Sun's Declination corresponding to every sign and de-
	18 5	25527 27875	25768 28103	26007 25330	26245 28556	26482 28780	24304 26717 29003	24551 26951	27184	25042 27416	25285 1 27646 1		gree of his Longitude. or the De- clination of every degree of the eclip-
Ш	20	30103	30320 32428	30535 32634	30750 32838	30962	31175 33244	29226 31387 33145	29447 31597	29667 31806	29885 1 32015 2		
ı	23	34242 36173	34439 36361	34635 36549 38382	34830 36736	33041 35025 36922	35218 37107	35411 37291	33646 35603	33846 35793	34044 2 35984 2	ogn 2	signs at the top or bottom of the ta- ble are less than 6, bu South if they are more.
ı	25	38021 39794 41497	38202 39967	40140	38561 40312	33739 40483	38917 40654	39093 40824	37475 39270 40993	37658 39145 41162	37840 2 -39620 2		0 or 6   1 or 7   2 or 8
1	27	43136 44716	41664 43297	41830 43457	41996 43616	42160 43775	42325 43933	42488 44091	42651 44248	42813 44404	41330 2 42975 2 44560 2	6 2	0 0 1 11 0 1 11 0 1 11 0
	29	46240 47712	44871 46389	45025 46538	45179 46637	45332 46835	45484 16982	45637 47129	45788	45939 47422	46090 2	8 6	0 0 0 0 11 29 5 20 10 25 30 1 0 23 53 11 50 6 20 22 57 29
I	31	49136 50515	47857 49276 50650	48001 49415 50786	48144 49551	48287	48480 49831 51188	48572 49969	47276 48714 50106	48855 50243	48996 50379	30 E	3 1 11 20 10 21 34 90 46 55 27
ı	33	51851 53148	51993 53275	52114 53403	50920 52244 53529	51054 52375 53656	52504	513:22	51455 52763	51537 52892 54158	51720 3 53020 3		4 1 35 30 12 51 59 20 58 20 26 5 1 59 20 13 12 12 21 9 21 25
1	36	54407 55630	54531 55751	55871	54777	54900 56110	53782 55023	53908 55145 56348	54033 55267	55338	54283 3	Numbers	6 2 23 8 13 32 12 21 19 59 24 7 2 46 54 13 51 58 21 30 13 25
	37 33	56820 57978	56937 58092	58206	57171	57287	56229 57409 58546	57519 58659	56467 57634 58771	56585 57749 58883	567u3 57864		8 3 10 37 14 11 30 21 40 3 25
	39 40 41	59106 60206 61278	59218 60314 61384	59329 60423	59439 60530	59550 60638	59660	5 5977(	69879	5998	58995 60097 61172	from 1 t	10 3 57 54 14 49 52 21 58 30 20
1	42	6232	62499	69521	6159 6263 6364	61700 6273 63749	6293	6190	6201	62118	63246	4110	12 4 44 57 15 27 13 22 15 17 18
	44	64345 65321	63448 6444- 65418	6451	6464	64738	6483	6 6493	6503	6512	64246 65225	1000; t	14 5 31 42 16 3 31 22 30 24 16
i	46	66276	66370	6646	6655	6665	6674	5 6683	6693	2 6702	67117	45 by w	16 6 18 6 16 38 44 22 43 47 1
ı	48	68124	68218	68305	6839	68484	6857	6866	6575	68845	68931	46 which,	18 7 4 6 17 12 48 22 55 27 1
	50 51 52	69897 7075	7084	70070	7015	70245	70320	7041	70501	70586	70672	19 WITH	20 7 49 41 17 45 40 23 5 22 1
	53 54	71600 7242 7323	7168	71767	7185	7275	7983	7209	7218	72069	72346	52 8	21 8 12 17 18 1 38 23 9 39 1 22 8 34 45 18 17 18 23 13 29
	55	7403	7411	7419	1 7427	7435	7364	73719	73799	73378	73957	54 exp	23 8 57 5 18 32 38 23 16 53 24 9 19 17 18 47 38 23 19 50
	588	7481 7558 7634	71 7566	4 7574	0 7581	7539	7520 7596	7528 7 7604	7535	3 7519	75511	56 lanat	25 9 41 19 19 2 19 23 22 20 1 26 10 3 12 19 16 37 32 24 20
-	60	7708 7781	5 7788	9 7723	2 7720	7737	7745	2 7752	7759	7 77670	77012	58 0	27 10 24 56 19 30 35 23 25 57
1	61 62	7853	7860	1 7867	5 7874	7381	7888	7895	3 790×	78390	78462 79169	60 of the	29 11 7 53 19 57 30 23 27 46
1	63 64	7993- 80618	80686	80072	8014	80209	8027	80346	80414	80492	79865	63 5	30 11 29 5 20 10 25 23 28 0 5 or 11 4 or 10 3 or 9
1	65 66 67	81291 81954	81358 82020	81425 82086	81491	81558	80956 81624 82282	81025 81690 82347	81757	81823	81224 81839	64 5	of Control of Control
ı	68	82607	82672 85315 83948	82737 83375	82802	82866 83506	82930	82995	82413 83059	82478 83123			TABLE  100 0 150 0
	70 71	83885 84510	84572	84634		84136 84757	84198 84819	84261	83696 843:23	83759 84386	84448	Logaritam	0 8ig. 0 8ig. 0 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
ı	72	85126 85733	85187 85794	85248 85854	85309 8591;	85370 85974	85431 86034	85491 86094	81942 85552	85003 85612	85673 7	70 71	+ 477
	74	86332 86923 87506	86392 86992	86451 87040	86510 87-99	86570 87157	86629 87216	86688 87274	86153 86747 87332	86213 86806		73 9	-Equi
	76	88081 886 9	87564 88138	87622 88195	87679 88252	87737 88309	87795 88366	87852 88423	87910	87390 87967		5 2	11.—Equation and true plant from the plant from plant f
	78	89209 89763	88705 89265	88762 89321	88818 89376	88874 89432	88930 89487	88986 89542	88480	88536 89098			place. place. 12 13 3 47 13 35 112 11 35 112 11
	80	90309	89818 90363	89873 90417	89927 90472	89982 90526	90037 90580	90091 90634	89597 90146 90687	89653 90200		number	
	82	90349 91331 91908	90902 91434 91960	90956 91487	91009 91540	910 <del>02</del> 91593	91116 91645	91169 91698	91222	90741 91275 91803	90795 8 91328 8	1 m	aig
	84	92425 92942	91960 92430 92993	92012 92531 93044	92065 92583	92117 92634	92169 92686 93197	92221	91751 92273 92788	91803 92324 92840	92376	y readily	San's Centre. Argument. 47 819.  30 10 11 11 11 11 11 11 11 11 11 11 11 11
	86	93450 93952	93500 94002	93551	93.95	93146 93651	93702	93247	93298 93802	93349 93852	93399		
	88	94448	94493	94052 94547 95096	91101	94151 94645	94201 91694	94250 94743	94300 94792	94349	94: 99	be four	+ E40=+0m - 50
1	90	95424 95904	94988 95172 95952	95036 95521 95990	95055 95569	95134 95617	95152 95665	95231 95713	95:279 95761	95328 95809	95376	89 Ind.	7 0 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	92 93	96379 96348	96426 96895	96942 96942	96047 96520	16095 96567	96142 96614	95190 96661	96237 96708	96284 96755	96332	91	sig. sig. sig. 29 29 29 29 58 58
1	95	97313 97772	97359 97818	97405 97864	96988 97451 97909	97035 97497	97081 97543	97128 97589	97174 97635	97220 97681	97267	93	sig. — 1 1 2 3 4 1 1 2 3 5 5 5 2 2 9 4 7 2 9 3 7 2 9 3 5 7 2 9 3 5 8 3 1 7 2 9 3 5 8 5 3 1 7 2 9 3 5 8 5 3 5 9 5 9 5 9 5 9 5 9 5 9 5 9 5 9 5 9
1	96 97	98227 93677	98272 98722	98318	98363 95811	97955 98408 98856	98000 98458	98046 98498	98091 98543	98137 98588	9818-	95 96	6 0000000000
	99	99123 99564	99167 99607	99211 99651	99255	98856 99300 99730	98900 99344	99945 99388	98989 99432	99034	99078 99520	97 98	IE. 0100
L	1001	00000	00043	00087	00130	00173	99782	99826 Otr260	99870 00303	99913	99957	99	100000100
175	September 1					- Contraction	The same	100	-				Deg. 8882220

2719 2536 2719 2535 2717 2535 2717 2535 2717 2535 2518 253 2518 253 2518 253 2518 253 2518 253 2518 253 2518 253 2518 253 2518 253 2518 253 7 2511 2219 6 2231 2205 6 2230 2188 5 2310 2188 5 2300 2176 4 2280 2176 8 2279 2189 8 2279 2189 8 2279 2189 8 2259 2149 8 2259 2149 8 2259 2149 8 2259 2149 1619 - 0 91 91 91 91 23 50 29 70 552 5 27 1221212222222 987 987 987 987 987 987 26 48 48 48 48 48 48 48 48 48 0 0 01 4164 4164 4168 4168 4071 4068 35 384 388 388 388 CT 43 28.28.25.28.25.3 2244888822200 5565688888888 TABLE 49.—Showing, by Problem 43, what Day of the Week any Day of the Month is, for ever. TABLE 23.—Time answering to a change of 33 in the altitude of a celestial body at the horizon. Arguments. Declination of the body at the head of the table, and the Latitude of the place in the left column. Jan., Oct. . A B C Feb., Ma., No. D E F April, July . G A B May . . . B C June . . E F G August . . . . 270 301 210 180 120 m. s August . . . Sept., Dec. 20 2 30 2 36 2 40 2 44 3 48 3 52 3 56 3 60 4 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 13 Should any error be detected or suspected in any calculation made from the Tables, examine carefully whether the quantities in them increase or decrease regularly as they should do, as an error may possibly have crept into some of the Tables.

TABLE 57 .- Logistical or Proportional Logarithms.

1

TABLE 58.—Visible Eclipses in the United States till 1900.

TABLE 44.—Astronomical time at Greenwich of all the mean two Moons for 176 years, or four Lunar Cycles; Old Style. With this Tuben and two easy equations, by Problem 42, the time of mean New Moon in any month of any year for the unbousand years after the Creation may readily be found, for either U. or N. S. 

TABLE 43.—Equation for finding the De-clination of a celestial body. Arguments. Latitude of the body at the head of one of the divisions of the table, and Ecliptic declination in the left hand column.

Latitude and Declination of the same name 10 20 45 50 0 4 5 4 10 4 15 3 18 2 20 1 22 0 23 28 9 56 9 33 8 17 6 7 4 19 2 54 1 18 0 26 0 0 14 55 14 21 12 23 9 13 6 31 4 23 1 58 0 39 0 0 58 46 8 13 9 26 39 13 0 19 54 19 11 16 42 12 21 8 45 5 54 2 39 0 53 0 0 54 54 16 45 19 59 3 21 0 54 25 58 32 26 20 7 0 29 28 25 18 13 8 4 1 0 24 24 20 15 11 7 3 1 0

## Latitude and Declination names.

20 30 19 54 18 56 16 18 11 54 8 21 5 36 2 31 0 50 0 0 0 4 5 4 10 4 15 3 18 2 20 1 22 0 23 23 58 45 6 1 8 25 38 13 0 998642100 56 29 11 0 12 50 16 25 0 14 12 8 6 4 1 0 0 55 13 15 58 18 13 54 38 0 24 23 20 14 10 6 3 1 0 54 40 20 49 24 53 7 20 29 28 24 17 12 8 3 1 0 54 23 20 43 25 19 43 14 0

18588848

01010000 वा वा 

3882200

5+11--4+10-13+9

Latitude.

Latitude. Arg. 1st of L. Moon's distance from cending Node.

8

6-11+7-

TABLE 38.-For the Moon's

+6

3

4-10十 8828

+11-

87 TEO

C4 C4 --

- 名名なる - 第四名の第二

100

motion in Lat. Arg. Moon's dis. from her ascending Node. Tending North if the sign is + but South if -. TABLE 40.-Moon's Hourly otion in Lat. Arg. Moon's

8

TABLE 45—
Diff. between the co. s. and N. S. (1) and (